



Livestock Production  
Assurance

# LIVESTOCK PRODUCTION ASSURANCE LEARNING COURSE

July 2022



# CONTENTS

WELCOME TO LPA LEARNING .....	2
COURSE 1: PROPERTY RISK ASSESSMENT .....	3
COURSE 2: SAFE & RESPONSIBLE ANIMAL TREATMENTS .....	9
COURSE 3: STOCK FOODS, FODDER CROPS, GRAIN & PASTURE TREATMENTS .....	15
COURSE 4: PREPARATION FOR DISPATCH OF LIVESTOCK .....	21
COURSE 5: LIVESTOCK TRANSACTIONS & MOVEMENTS .....	29
COURSE 6: BIOSECURITY .....	33
COURSE 7: ANIMAL WELFARE .....	41



# WELCOME TO LPA LEARNING

It is the responsibility of LPA-accredited producers to carry out specific on-farm practices in order to produce safe red meat. LPA Learning is a tool developed to assist livestock owners to better understand all practices required to produce safe food, and to manage biosecurity and animal welfare on farm.

LPA Learning will:

- Explain the on-farm practices required to meet the seven elements of LPA
- Show how to apply the LPA requirements to procedures and tasks in your work
- Prepare producers for the assessment required to become accredited and recommit to the LPA program

Once you have read through the LPA Learning document, you will need to complete the assessment and accreditation document included in the package. Details on how to submit the answers to the assessment via telephone are provided in the letter you received with this package.

It takes approx. 45 minutes to complete all seven courses. Each course focuses on a separate element of LPA.

If you need assistance, contact the LPA Helpdesk on 1800 683 111. You can also find more information on the ISC website ([www.integritysystems.com.au/lpa](http://www.integritysystems.com.au/lpa)).







Livestock Production  
Assurance

## COURSE — 1 —

# PROPERTY RISK ASSESSMENT



## WHY DO A PROPERTY RISK ASSESSMENT?

Property risk assessments are needed to minimise livestock exposure to:

- Contaminated sites
- Physical contaminants

If livestock come in contact with persistent chemicals from contaminated sites, the meat they produce may contain unacceptable chemical residues.

Physical contaminants such as wire could cause harm to animals and people if they become lodged in meat tissue.

## IDENTIFYING RISKS

*John runs a cattle property and wants to make sure he is aware of any property risks.*

### I "What are potential risks on my property?"

Persistent chemicals stay in the environment and may impact on human health, the environment, and trade.



#### Rubbish dump

Rubbish dumps can contain hazardous materials such as chemical containers and lead acid batteries. Livestock need to be excluded from these sites.



#### Stock yard

Old yards and dip sites may have been used historically to apply organochlorine pesticides (OCs) and arsenic.



#### Chemical storage shed

Storage sheds that have been used to store or mix persistent chemicals can still present a residue risk to livestock. Other areas used to store chemicals, such as old hay sheds, piggeries and dairy sheds, may also present a residue risk to livestock.



#### Machinery

Polychlorinated biphenyls (PCBs) can be present in hydraulic equipment and oil. Old paints may contain lead.



#### Power poles

Soil around the base of power poles may have high concentrations of OCs from termite and ant treatment.



#### Paddock

Land that previously grew OC-treated crops can contain enough residual OCs to cause unacceptable OC residues in grazing livestock.



#### Public roads

Physical contaminants like buckshot from recreational shooters on nearby public lands, wire, old batteries and chemical drums may present a chemical residue threat and remain in the meat after slaughter, becoming a food safety risk.



## QUESTION 1:

### What can Margaret do to manage the risk?

*"I've just bought a new block of land which was previously used to grow bananas and sugar cane. I can't allow my cattle to graze here before I'm sure it is safe to do so. What can I do to manage the risk?"*



Select the three correct options.

Answer option	✓ / ✗
1 Restrict livestock access to the site until the residue status is known	<input type="checkbox"/>
2 Sell the animals that came into contact with the paddock	<input type="checkbox"/>
3 Conduct soil tests for persistent chemicals	<input type="checkbox"/>
4 Indicate the paddock on a property map so that staff know to restrict access	<input type="checkbox"/>

#### Things to think about...

Sometimes managing the risk is as simple as picking up and safely disposing of a contaminant. Other risks require more long-term management, for example,

- Marking suspect areas on a property map
- Conducting soil tests for sites of concern
- Conducting animal fat tests of suspect sites
- Isolating contaminated sites
- Identifying compromised animals

Answers 1 ✓ 2 ✗ 3 ✓ 4 ✓


## DOCUMENTING RISKS

You must complete and document a risk assessment to ensure that you are doing all you can to prevent unacceptable levels of persistent chemicals and physical contaminants entering the meat you produce.

You must update the **risk assessment table** and **property map** with any new potential risks on your property that may occur through changing activities.

**Note:** Keep records for a minimum of 3 years, in accordance with State legislation or for the duration of the livestock on the PIC, whichever is longer. Risk assessment documentation must be retained indefinitely.

### Property map



You will find a sample property risk assessment document on the ISC website ([www.integritysystems.com.au/lpa](http://www.integritysystems.com.au/lpa)).

## Risk assessment table

Possible contaminated site (refer to property map)	Reason or risk identified	Results received (soil or fat samples)	Description of how site is managed to eliminate the risk of livestock contamination
<b>Rubbish dump</b>	Old chemical drums, batteries, food scraps	Soil sample: Dieldren 0.20 mg/kg BHC 0.40 mg/kg	<ul style="list-style-type: none"> <li>Rubbish dump fenced out 2005</li> </ul>
<b>Stock yards</b>	<ul style="list-style-type: none"> <li>Plunge dip</li> <li>Timber yards treated for termite control</li> </ul>	NA	<ul style="list-style-type: none"> <li>Cattle and sheep yards - plunge dip no longer in use and section of yards not used.</li> <li>Aware of timber yards treated for termite control</li> </ul>
<b>Chemical storage shed and wash down area</b>  <b>Sheds</b>  <b>Machinery sheds</b>  <b>Machinery</b>	<ul style="list-style-type: none"> <li>Sump oil and old batteries NA</li> <li>Timber treated for termite control</li> <li>Hydraulic oil on machinery</li> <li>Chemical storage and area used to clean out spray equipment</li> </ul>	NA	<ul style="list-style-type: none"> <li>Sheds - have area where old batteries and sump oil placed, fenced 2007 and also contains washed chemical drums ready for Drum Muster collection.</li> <li>Aware of machinery with oil leaks and endeavour not to leave machinery in paddocks where stock are.</li> </ul>
<b>Power poles</b>	<ul style="list-style-type: none"> <li>Organochlorine ground treated poles</li> </ul>	Soil sample: Dieldren 0.60 mg/kg	<ul style="list-style-type: none"> <li>Power poles - to house and sheds are pre 1987 organochlorine ground treated poles.</li> <li>Old pole removed from paddock</li> </ul>
<b>Mining dam</b>	<ul style="list-style-type: none"> <li>Possible heavy metals</li> </ul>		<ul style="list-style-type: none"> <li>Stock not allowed access to dam.</li> <li>Stock in paddock must be on clean feed for 60 days before they can go to slaughter.</li> </ul>
<b>Paddock 1</b> <b>Old cane paddock</b>	<ul style="list-style-type: none"> <li>Paddock 1 old treated cane paddock</li> </ul>	Soil sample: DDT 0.15 mg/kg	<ul style="list-style-type: none"> <li>Sale cattle restricted access. Stock in paddock must be on clean feed for 60 days before slaughter.</li> </ul>
<b>Public road/adjacent public land</b>	<ul style="list-style-type: none"> <li>Potential for physical contamination</li> <li>Rubbish from travellers including lead batteries.</li> </ul>	NA	<ul style="list-style-type: none"> <li>Gates locked. Areas neighbouring public roads/land checked for rubbish on a regular basis. Rubbish removed as required.</li> </ul>
<b>Potential physical contamination N/A</b>	<ul style="list-style-type: none"> <li>Potential for physical contamination</li> </ul>	NA	<ul style="list-style-type: none"> <li>Potential for physical contamination minimised by collection of all loose fencing wire/clear policy regarding the use of firearms on the property.</li> </ul>





## QUESTION 2:

### Help Margaret document a new risk

A mining company is commencing operations on Margaret's property. Help Margaret document the risks associated with this new enterprise by selecting the information she needs to document on the Risk Assessment form.

Select the four correct options.

Answer option	✓ / ✗
1 Identify the new site on the property map	<input type="checkbox"/>
2 Develop a management strategy for any identified risks	<input type="checkbox"/>
3 Do nothing	<input type="checkbox"/>
4 Identify any residue risks, such as metals in water from a tailings dam	<input type="checkbox"/>
5 Record results of soil samples from affected and unrelated sites on the property	<input type="checkbox"/>

#### Things to think about...

When your property is audited, you will need to provide proof that you are aware of and are managing all persistent chemical and physical contaminant risks. Records need to be updated if new risks are introduced. Maintain a record of any advice received in relation to potential risks identified.

Answers

1



2



3



4



5





Livestock Production  
Assurance

## COURSE — 2 —



# SAFE & RESPONSIBLE ANIMAL TREATMENTS



## WHY DO WE NEED SAFE AND RESPONSIBLE TREATMENTS?

If animal treatments are not used responsibly, livestock may suffer.  
The meat they produce may contain unacceptable high chemical  
residues or pose a physical hazard.

# TREATING LIVESTOCK SAFELY

*Sarah is a sheep farmer and wants to know:*

**"What are my responsibilities to ensure that treatments are delivered in a safe and responsible manner?"**



## Person administering treatment

Only trained and competent people may administer treatments. Anyone applying or handling chemicals must be able to demonstrate competency in the storage, handling, preparation, use and disposal of chemicals.

The easiest way to demonstrate competency is by completing a chemical user course. Alternatively, evidence of internal training or supervision will assist.



## Stock yard

When treating livestock it is important to:

- Ensure correct dosage for the weight of the animal
- Identify treated animals
- Keep treated livestock separate to prevent cross-contamination between treated and non-treated animals
- Record any adverse side effects
- Identify animals that have broken needles by a permanent identification method e.g. NLIS



## Veterinary treatments

Follow the directions from the vet or on the label

- Ensure you have written authorisation and directions from a veterinarian for any off-label use of animal treatments
- Use only approved veterinary drugs
- Store drugs according to the label, and keep in a secure location
- Make sure all equipment is working correctly and calibrated before use
- Clean equipment after use. It is preferable that items used for treating livestock are clearly identifiable and not used for other tasks

## IDENTIFYING CATTLE TREATED WITH HGP

"I use HGPs on some of the cattle on my property.  
How can I make sure they are easy to identify?"

Cattle treated with Hormone Growth Promotants (HGPs) must be identified by a triangular ear punch.





## DOCUMENTING TREATMENTS

You must keep a record of all livestock treatments, and update it every time an animal is treated with veterinary chemicals (including HGP's). These records must contain information on:

- Date of treatment
- Description, location and number of livestock treated
- The chemicals used (including trade name, batch number and dose)
- The relevant Withholding Period (WHP)/Export Slaughter Interval (ESI)

You must also permanently identify any animals that

- May have been exposed to physical contaminants such as broken needles
- Are treated with HGP's

You will find a sample Livestock treatment record form that you can use to record livestock treatments on the ISC website ([www.integritysystems.com.au/lpa](http://www.integritysystems.com.au/lpa)).

**Note:** Keep records for a minimum of 3 years, in accordance with State legislation or for the duration of the livestock on the PIC, whichever is longer.





## QUESTION 1:

### Help Sarah document a new treatment

Sheep on Sarah's property require treatment for liver fluke that has a withholding period of 21 days and an export slaughter interval of 56 days. Take a look at the excerpts from the Livestock treatment record form.



Which one of these is completed correctly according to the LPA requirements?

Answer option				✓ / ✗
1	Treatment date	WHP	ESI	<input type="checkbox"/>
	29/04/2022	21 days	56 days	
2	Treatment date	WHP	ESI	<input type="checkbox"/>
	29/04/2022	21 days	21 days	

#### Things to think about...

It is important that you keep complete and accurate records of all livestock treatments to manage the risk of unacceptable residues in meat and offals.

Answers | 1 ✓ | 2 ✗

**QUESTION 2:*****Selling an animal receiving treatment***

*"One of the rams on my property requires treatment for a foot abscess. The vet had prescribed a 2ml dose given daily for 3 days. The animal is due to be sold in a few days, just after the course of treatment is finished (within withholding period). Do I need to inform the buyer of the treatment?"*

Select the correct option.

Answer option	✓ / ✗
1 Yes	<input type="checkbox"/>
2 No	<input type="checkbox"/>

**Things to think about...**

All livestock treatment details, including the relevant WHP and ESI, must be recorded on the LPA NVD to ensure that livestock are not processed for human consumption before these have expired.



Livestock Production  
Assurance

## COURSE — 3 —



# STOCK FOODS, FODDER CROPS, GRAIN & PASTURE TREATMENTS



## WHY DO WE NEED SAFE LIVESTOCK FEED PRACTICES?

Livestock exposed to contaminated food may contain unacceptable chemical residues at the time of slaughter. Stockfeed prepared for other livestock such as pigs may contain restricted animal material (RAM) and must not be fed to ruminants.

Safe livestock feed practices:

- Minimise livestock exposure to feeds containing unacceptable chemical residues
- Guarantee livestock are not fed restricted animal material (RAM)

## IDENTIFY FEED RISKS ON A PROPERTY

*Alice runs a mixed livestock enterprise with goats, sheep and pigs.*

### I "What feeds risks can occur on my property?"



#### Directly spraying pastures or feed crops

It is important to read and follow label instructions when applying agricultural chemicals to pastures and crops.

Grazing and feeding withholding periods must be observed. Refer to the label instructions for more information.



#### Introduced stock feed

Bought in feedstuffs, including byproducts, may contain residues of chemicals applied before or during harvest or in storage.

Ask for a commodity vendor declaration (CVD).



#### Spraydrift

Chemicals may drift onto pasture paddocks adjacent to crops being treated.

Grazing and feeding withholding periods must be observed.



#### Restricted animal material (RAM)

To manage risk to animal and human health, products containing RAM must not be fed to ruminants.

RAM includes meat, meat and bone meal, blood meal, blood and bone meal, dog biscuits, poultry offal meal, feather meal, fishmeal or any other animal meals or manures.

Products that may contain RAM must be stored separately and securely from feed that will be fed to ruminant livestock.

Producers should be aware of the potential risks in utilising used cooking oils (UCOs) in stockfeed if not sourced from accredited suppliers.

## QUESTION 1:

### Help Alice contain the feed risk

"I need to spray a paddock for red legged earthmite. The label on the container says do not graze or cut for feed within 1 day of application."



Select the two correct options.

Answer option	✓ / ✗
1 Restrict livestock access to the paddock for a minimum of one day after spraying	<input type="checkbox"/>
2 Remove livestock from the paddock before spraying and provide access no less than one day after spraying	<input type="checkbox"/>
3 Leave the livestock in the paddock but avoid spraying them directly with the chemical	<input type="checkbox"/>

#### Things to think about...

In addition to restricting access to compromised areas, there are some easy steps you can take to minimise chemical contamination:

- Ensure only competent, trained people use chemicals, and always follow the label directions
- Ensure equipment is clean and in working order
- Store chemicals in a safe place away from animals
- Keep records of treatments and introduced stock feeds
- Never use restricted animal materials (RAM) as stock feed for cattle, sheep or goats
- Permanently identify compromised animals and areas

Answers 1 ✓ 2 ✓ 3 ✗



## DOCUMENTING CHEMICAL RISKS

You must keep a record of all chemical treatments, and update it every time chemicals are applied and feed is introduced to the property.

You will find a sample *Crop, pasture and paddock treatment* record form that you can use to record crop, pasture and paddock treatments on the ISC website ([www.integritysystems.com.au/recordkeeping](http://www.integritysystems.com.au/recordkeeping)).

**Note:** Keep records for a minimum of 3 years, in accordance with State legislations or for the duration of the livestock on the PIC, whichever is longer.

### SECTION 3B – Crop, pasture and paddock treatment record

Date of application	Paddock ID & location	Crop treated	Area treated	Treatment application rate (L/ha)	Treatment method	Wind direction & speed (km/hr)
Product name	Chemical rate	Batch number	WHP/EAFI/EGI	Date safe to harvest/graze	Treated by (name and contact number of owner/employee/ contractor)	
Notes						

Date of application	Paddock ID & location	Crop treated	Area treated	Treatment application rate (L/ha)	Treatment method	Wind direction & speed (km/hr)
Product name	Chemical rate	Batch number	WHP/EAFI/EGI	Date safe to harvest/graze	Treated by (name and contact number of owner/employee/ contractor)	
Notes						

## DOCUMENTING INTRODUCED STOCK FEEDS

You should ensure that all introduced stock feeds are accompanied by a Commodity Vendor Declaration (CVD). This is your guarantee that the feed you purchased is safe from chemical contamination.

The CVD needs to provide details of:

- The chemical(s) used to treat the commodity
- The rate and date of chemical application
- The relevant WHP/ESI/Export Animal Feed Interval (EAFI) as shown on the chemical label

You will find a sample *Commodity Vendor Declaration* on the ISC website ([www.integritysystems.com.au/recordkeeping/](http://www.integritysystems.com.au/recordkeeping/)).

In the absence of a CVD it is important that the residue status of the stockfeed be determined and/or that the stockfeed is not fed to livestock that are to be sold for slaughter within 60 days from date of last exposure. Records of stockfeed activities should be maintained, including date, description of stockfeed, mob and/or paddock identification, etc.

**Note:** Keep records for a minimum of 3 years, in accordance with State legislations or for the duration of the livestock on the PIC, whichever is longer.



## QUESTION 2:

### Help Alice document a new risk

Alice runs a mixed livestock enterprise with goats, sheep and pigs. The pig feed may contain restricted animal material. What must Alice do to prevent feed contamination?

Select the three correct options.

Answer option	✓ / ✗
1 Ensure feed containing RAM is stored securely and separately from stockfeed for goats and sheep	<input type="checkbox"/>
2 Thoroughly clean any shared feeding equipment to remove risk of cross contamination	<input type="checkbox"/>
3 Maintain a record of any stockfeed containing RAM feed and verify cross contamination has not taken place	<input type="checkbox"/>
4 Allow RAM to be fed to pet sheep only	<input type="checkbox"/>

#### Things to think about...

Restricting access to treated areas for the recommended period ensures that livestock are not exposed to chemical contamination.

To manage risk to animal and human health, products containing RAM must not be fed to ruminants.

RAM includes meat, meat and bone meal, blood meal, blood and bone meal, dog biscuits, poultry offal meal, feather meal, fishmeal or any other animal meals or manures.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✗



Livestock Production  
Assurance

## COURSE — 4 —



# PREPARATION FOR DISPATCH OF LIVESTOCK



## WHY DO WE NEED TO ENSURE LIVESTOCK ARE FIT FOR TRANSPORT?

If livestock become stressed, contaminated or injured prior to transport, they may pose a food safety risk. Livestock not fit for transport may be an animal welfare concern.

## DISPATCH OF LIVESTOCK

*Mark regularly moves cattle between his properties.*

### I "What are typical risks to consider when preparing livestock for transport?"



#### Livestock

It is important that producers do not feed or water livestock destined for slaughter during the minimum curfew period, unless specified otherwise by the customer.

Livestock effluent can add to stress and contamination during assembly and transport.

Curfew periods can vary depending upon destination, class and condition of stock, feed type, transport duration and prevailing weather conditions. Typical curfew periods are six hours for cattle and 12 hours for sheep and goats.



#### Sick/injured animal

The condition of sick or injured animals may deteriorate during transport. Livestock should not be transported if they are unwell or injured.

For more information download the *Is it fit to load?* guide from the MLA website [www.mla.com.au/isitfittoload](http://www.mla.com.au/isitfittoload) or contact MLA on **1800 023 100** to order a copy.



#### Vehicle

Unclean and poorly maintained vehicles may lead to stress, injury and contamination.

Care needs to be taken to avoid injury and stress when loading and unloading.



## QUESTION 1:

### Containing the risks

*"I had some feedback from the abattoir that cattle in my last consignment arrived dirty. What can I do to prevent this happening again?"*

*What can George do to manage the risk?*



Select the three correct options.

Answer option	✓ / ✗
1 Meet curfew requirements	<input type="checkbox"/>
2 Inspect truck for cleanliness before loading	<input type="checkbox"/>
3 Ensure animals are fit for travel, mustered and assembled with minimal stress	<input type="checkbox"/>
3 Load the truck lightly so cattle have plenty of room to move around	<input type="checkbox"/>

#### Things to think about...

As a livestock producer, you are responsible for ensuring that animals experience a minimum of stress and contamination during transportation. Here are some easy steps you can take:

- Ensure all animals are fit for travel
- Don't transport sick or injured animals
- Muster, assemble and transport livestock to ensure minimal stress
- Inspect the vehicle for cleanliness
- Ensure that multi-level trucks minimise soiling of livestock on the lower deck
- Meet curfew requirements

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✗



## DOCUMENTING LIVESTOCK MOVEMENTS

You must obtain or complete a LPA National Vendor Declaration (NVD) for every animal that is introduced to and leaves your property. This NVD is your guarantee that your on-farm practices meet LPA requirements.

There are a suite of five NVDs (Sheep and Lambs, Cattle, EU Cattle, Bobby Calves and Goats). Requirements are similar, but differ depending on the NVD type being used.

Please refer to the 'How to Complete' guides that are included in your Hard Copy NVD book –examples of guides for cattle, sheep and lambs and goat NVDs are provided on the following pages.

The LPA electronic National Vendor Declaration (eNVD) system is a faster, easier way to complete livestock consignments. An LPA eNVD is the digital alternative to paper-based NVDs.

The eNVD system is not just a place to fill out a NVD – it is a system for completing all consignment paperwork digitally including livestock assurance and health declarations.

The following forms are available using the eNVD:

- Livestock Production Assurance National Vendor Declaration (LPA NVD) for cattle, EU cattle, sheep and lamb, goats and bobby calves
- Meat Standards Australia (MSA) declaration
- National health declaration (cattle, sheep and goat)
- National Feedlot Accreditation Scheme (EU, delivery docket, form B).

When you select to create a new consignment within the eNVD system, you will be prompted to select the forms that you would like to include as part of your consignment. The forms that are visible to you are based on your accreditation.

**Note:** Keep records for a minimum of 3 years, in accordance with State legislations or for the duration of the livestock on the PIC, whichever is longer.

### Things to think about...

Red meat producers need to ensure they have the current LPA NVD version when consigning livestock.

All species (Cattle, EU Cattle, Sheep & Lambs, Goats and Bobby Calves) must use the 0720 version.

All previous versions will not be accepted.

A current LPA NVD is required for all livestock movements, including property to property, through saleyards, direct to processors and to feedlots, and to the live export trade.

# HOW TO COMPLETE A CATTLE NVD



**The LPA NVD is your declaration and guarantee to buyers.**

**Make sure it is clear, complete and correct, so you can stand by what you sell.**

**Who is responsible for completing the LPA NVD?**

**Part A:** The cattle owner or the person responsible for the husbandry of the cattle.

**Part B:** The livestock carrier.

**Who keeps the copies?**

**Top sheet:** (White) goes with the cattle to the purchaser.

**Middle sheet:** (Green) goes to the carrier.

**Bottom sheet:** (Pink) stays in the book and should be kept for auditing purposes.

**How do I order copies of the LPA NVD?**

- 1 Go to [www.integritysystems.com.au/nvd](http://www.integritysystems.com.au/nvd) or
- 2 Phone 1800 683 111

**Where do I go for more information?**  
Go to [www.integritysystems.com.au/lpa](http://www.integritysystems.com.au/lpa)

**NATIONAL VENDOR DECLARATION (CATTLE) AND WAYBILL**

This form cannot be used where eligibility for the EU market is required.

**Part A** To be completed by the owner or person who is responsible for the husbandry of the cattle.

Owner of cattle: David Gratzler

Property/place where the journey commenced: Wintergreen, KM123

Property Identification Code (PIC) of this property: NA123456

**Description of cattle**

Number	Description (Breed, sex, age, etc.)	Brands or Earmark (PIC of origin)
12	Angus Steers	
5	Hereford Heifers	

**Consignment**

Consigned to: John Burrows, Burrows Livestock Agency

Destination (if different) of cattle: Warren Saleyards

Destination PIC (REQ: WA & TAS): 1, 2, 3, 4, 5, 6, 7

**Details of other statutory documents relating to this movement**

Number of NVDs used on these cattle: 1

Number of NVDs used on these cattle: 1

Number of NVDs used on these cattle: 1

**Part B** To be completed by the person in charge of the cattle while they are being moved.

Consignment of this part is optional in SA and VIC.

Movement commenced: 1/20 (am/pm)

Vehicle registration number(s):

**1** Have any of the cattle in this consignment ever in their lives been fed feed containing animal fats? ☒ Yes ☐ No

**2** Have the cattle in this consignment ever in their lives been fed feed containing animal fats? ☒ Yes ☐ No

**3** Has the owner stated above owned these cattle since their birth? ☒ Yes ☐ No

**4** In the past 60 days, have any of these cattle been fed by-product stockfeeds? ☒ Yes ☐ No

**5** In the past 6 months have any of these animals been on a property listed on the ERP database or placed under any restrictions because of chemical residues? ☒ Yes ☐ No

**6** Are any of the cattle in this consignment still within a Withholding Period (WHP) or Export Slaughter Interval (ESI) as set by APVMA or SAEFMA? ☒ Yes ☐ No

**7** In the past 60 days, have any of the cattle in this consignment consumed any material that was still within a withholding period when harvested, collected or first grazed? ☒ Yes ☐ No

**8** In the past 42 days, were any of these cattle: ☒ a) sprayed with a spray risk area? ☐ b) fed fodder from a spray risk area? ☐ c) sprayed? ☐ d) fed fodder from a spray risk area? ☐ e) sprayed? ☐ f) fed fodder from a spray risk area? ☐ g) sprayed? ☐ h) fed fodder from a spray risk area? ☐ i) sprayed? ☐ j) fed fodder from a spray risk area? ☐ k) sprayed? ☐ l) fed fodder from a spray risk area? ☐ m) sprayed? ☐ n) fed fodder from a spray risk area? ☐ o) sprayed? ☐ p) fed fodder from a spray risk area? ☐ q) sprayed? ☐ r) fed fodder from a spray risk area? ☐ s) sprayed? ☐ t) fed fodder from a spray risk area? ☐ u) sprayed? ☐ v) fed fodder from a spray risk area? ☐ w) sprayed? ☐ x) fed fodder from a spray risk area? ☐ y) sprayed? ☐ z) fed fodder from a spray risk area? ☐ aa) sprayed? ☐ ab) fed fodder from a spray risk area? ☐ ac) sprayed? ☐ ad) fed fodder from a spray risk area? ☐ ae) sprayed? ☐ af) fed fodder from a spray risk area? ☐ ag) sprayed? ☐ ah) fed fodder from a spray risk area? ☐ ai) sprayed? ☐ aj) fed fodder from a spray risk area? ☐ ak) sprayed? ☐ al) fed fodder from a spray risk area? ☐ am) sprayed? ☐ an) fed fodder from a spray risk area? ☐ ao) sprayed? ☐ ap) fed fodder from a spray risk area? ☐ aq) sprayed? ☐ ar) fed fodder from a spray risk area? ☐ as) sprayed? ☐ at) fed fodder from a spray risk area? ☐ au) sprayed? ☐ av) fed fodder from a spray risk area? ☐ aw) sprayed? ☐ ax) fed fodder from a spray risk area? ☐ ay) sprayed? ☐ az) fed fodder from a spray risk area? ☐ ba) sprayed? ☐ bb) fed fodder from a spray risk area? ☐ bc) sprayed? ☐ bd) fed fodder from a spray risk area? ☐ be) sprayed? ☐ bf) fed fodder from a spray risk area? ☐ bg) sprayed? ☐ bh) fed fodder from a spray risk area? ☐ bi) sprayed? ☐ bj) fed fodder from a spray risk area? ☐ bk) sprayed? ☐ bl) fed fodder from a spray risk area? ☐ bm) sprayed? ☐ bn) fed fodder from a spray risk area? ☐ bo) sprayed? ☐ bp) fed fodder from a spray risk area? ☐ bq) sprayed? ☐ br) fed fodder from a spray risk area? ☐ bs) sprayed? ☐ bt) fed fodder from a spray risk area? ☐ bu) sprayed? ☐ bv) fed fodder from a spray risk area? ☐ bw) sprayed? ☐ bx) fed fodder from a spray risk area? ☐ by) sprayed? ☐ bz) fed fodder from a spray risk area? ☐ ca) sprayed? ☐ cb) fed fodder from a spray risk area? ☐ cc) sprayed? ☐ cd) fed fodder from a spray risk area? ☐ ce) sprayed? ☐ cf) fed fodder from a spray risk area? ☐ cg) sprayed? ☐ ch) fed fodder from a spray risk area? ☐ ci) sprayed? ☐ cj) fed fodder from a spray risk area? ☐ ck) sprayed? ☐ cl) fed fodder from a spray risk area? ☐ cm) sprayed? ☐ cn) fed fodder from a spray risk area? ☐ co) sprayed? ☐ cp) fed fodder from a spray risk area? ☐ cq) sprayed? ☐ cr) fed fodder from a spray risk area? ☐ cs) sprayed? ☐ ct) fed fodder from a spray risk area? ☐ cu) sprayed? ☐ cv) fed fodder from a spray risk area? ☐ cw) sprayed? ☐ cx) fed fodder from a spray risk area? ☐ cy) sprayed? ☐ cz) fed fodder from a spray risk area? ☐ da) sprayed? ☐ db) fed fodder from a spray risk area? ☐ dc) sprayed? ☐ dd) fed fodder from a spray risk area? ☐ de) sprayed? ☐ df) fed fodder from a spray risk area? ☐ dg) sprayed? ☐ dh) fed fodder from a spray risk area? ☐ di) sprayed? ☐ dj) fed fodder from a spray risk area? ☐ dk) sprayed? ☐ dl) fed fodder from a spray risk area? ☐ dm) sprayed? ☐ dn) fed fodder from a spray risk area? ☐ do) sprayed? ☐ dp) fed fodder from a spray risk area? ☐ dq) sprayed? ☐ dr) fed fodder from a spray risk area? ☐ ds) sprayed? ☐ dt) fed fodder from a spray risk area? ☐ du) sprayed? ☐ dv) fed fodder from a spray risk area? ☐ dw) sprayed? ☐ dx) fed fodder from a spray risk area? ☐ dy) sprayed? ☐ dz) fed fodder from a spray risk area? ☐ ea) sprayed? ☐ eb) fed fodder from a spray risk area? ☐ ec) sprayed? ☐ ed) fed fodder from a spray risk area? ☐ ee) sprayed? ☐ ef) fed fodder from a spray risk area? ☐ eg) sprayed? ☐ eh) fed fodder from a spray risk area? ☐ ei) sprayed? ☐ ej) fed fodder from a spray risk area? ☐ ek) sprayed? ☐ el) fed fodder from a spray risk area? ☐ em) sprayed? ☐ en) fed fodder from a spray risk area? ☐ eo) sprayed? ☐ ep) fed fodder from a spray risk area? ☐ eq) sprayed? ☐ er) fed fodder from a spray risk area? ☐ es) sprayed? ☐ et) fed fodder from a spray risk area? ☐ eu) sprayed? ☐ ev) fed fodder from a spray risk area? ☐ ew) sprayed? ☐ ex) fed fodder from a spray risk area? ☐ ey) sprayed? ☐ ez) fed fodder from a spray risk area? ☐ fa) sprayed? ☐ fb) fed fodder from a spray risk area? ☐ fc) sprayed? ☐ fd) fed fodder from a spray risk area? ☐ fe) sprayed? ☐ ff) fed fodder from a spray risk area? ☐ fg) sprayed? ☐ fh) fed fodder from a spray risk area? ☐ fi) sprayed? ☐ fj) fed fodder from a spray risk area? ☐ fk) sprayed? ☐ fl) fed fodder from a spray risk area? ☐ fm) sprayed? ☐ fn) fed fodder from a spray risk area? ☐ fo) sprayed? ☐ fp) fed fodder from a spray risk area? ☐ fq) sprayed? ☐ fr) fed fodder from a spray risk area? ☐ fs) sprayed? ☐ ft) fed fodder from a spray risk area? ☐ fu) sprayed? ☐ fv) fed fodder from a spray risk area? ☐ fw) sprayed? ☐ fx) fed fodder from a spray risk area? ☐ fy) sprayed? ☐ fz) fed fodder from a spray risk area? ☐ ga) sprayed? ☐ gb) fed fodder from a spray risk area? ☐ gc) sprayed? ☐ gd) fed fodder from a spray risk area? ☐ ge) sprayed? ☐ gf) fed fodder from a spray risk area? ☐ gh) sprayed? ☐ gi) fed fodder from a spray risk area? ☐ gj) sprayed? ☐ gk) fed fodder from a spray risk area? ☐ gl) sprayed? ☐ gm) fed fodder from a spray risk area? ☐ gn) sprayed? ☐ go) fed fodder from a spray risk area? ☐ gp) sprayed? ☐ gq) fed fodder from a spray risk area? ☐ gr) sprayed? ☐ gs) fed fodder from a spray risk area? ☐ gt) sprayed? ☐ gu) fed fodder from a spray risk area? ☐ gv) sprayed? ☐ gw) fed fodder from a spray risk area? ☐ gx) sprayed? ☐ gy) fed fodder from a spray risk area? ☐ gz) fed fodder from a spray risk area? ☐ ha) sprayed? ☐ hb) fed fodder from a spray risk area? ☐ hc) sprayed? ☐ hd) fed fodder from a spray risk area? ☐ he) sprayed? ☐ hf) fed fodder from a spray risk area? ☐ hg) sprayed? ☐ hh) fed fodder from a spray risk area? ☐ hi) sprayed? ☐ hj) fed fodder from a spray risk area? ☐ hk) sprayed? ☐ hl) fed fodder from a spray risk area? ☐ hm) sprayed? ☐ hn) fed fodder from a spray risk area? ☐ ho) sprayed? ☐ hp) fed fodder from a spray risk area? ☐ hq) sprayed? ☐ hr) fed fodder from a spray risk area? ☐ hs) sprayed? ☐ ht) fed fodder from a spray risk area? ☐ hu) sprayed? ☐ hv) fed fodder from a spray risk area? ☐ hw) sprayed? ☐ hx) fed fodder from a spray risk area? ☐ hy) sprayed? ☐ hz) fed fodder from a spray risk area? ☐ ia) sprayed? ☐ ib) fed fodder from a spray risk area? ☐ ic) sprayed? ☐ id) fed fodder from a spray risk area? ☐ ie) sprayed? ☐ if) fed fodder from a spray risk area? ☐ ig) sprayed? ☐ ih) fed fodder from a spray risk area? ☐ ii) sprayed? ☐ ij) fed fodder from a spray risk area? ☐ ik) sprayed? ☐ il) fed fodder from a spray risk area? ☐ im) sprayed? ☐ in) fed fodder from a spray risk area? ☐ io) sprayed? ☐ ip) fed fodder from a spray risk area? ☐ iq) sprayed? ☐ ir) fed fodder from a spray risk area? ☐ is) sprayed? ☐ it) fed fodder from a spray risk area? ☐ iu) sprayed? ☐ iv) fed fodder from a spray risk area? ☐ iw) sprayed? ☐ ix) fed fodder from a spray risk area? ☐ iy) sprayed? ☐ iz) fed fodder from a spray risk area? ☐ ja) sprayed? ☐ jb) fed fodder from a spray risk area? ☐ jc) sprayed? ☐ jd) fed fodder from a spray risk area? ☐ je) sprayed? ☐ jf) fed fodder from a spray risk area? ☐ jg) sprayed? ☐ jh) fed fodder from a spray risk area? ☐ ji) sprayed? ☐ jj) fed fodder from a spray risk area? ☐ jk) sprayed? ☐ jl) fed fodder from a spray risk area? ☐ jm) sprayed? ☐ jn) fed fodder from a spray risk area? ☐ jo) sprayed? ☐ jp) fed fodder from a spray risk area? ☐ jq) sprayed? ☐ jr) fed fodder from a spray risk area? ☐ js) sprayed? ☐ jt) fed fodder from a spray risk area? ☐ ju) sprayed? ☐ jv) fed fodder from a spray risk area? ☐ jw) sprayed? ☐ jx) fed fodder from a spray risk area? ☐ jy) sprayed? ☐ jz) fed fodder from a spray risk area? ☐ ka) sprayed? ☐ kb) fed fodder from a spray risk area? ☐ kc) sprayed? ☐ kd) fed fodder from a spray risk area? ☐ ke) sprayed? ☐ kf) fed fodder from a spray risk area? ☐ kg) sprayed? ☐ kh) fed fodder from a spray risk area? ☐ ki) sprayed? ☐ kj) fed fodder from a spray risk area? ☐ kl) sprayed? ☐ km) fed fodder from a spray risk area? ☐ kn) sprayed? ☐ ko) fed fodder from a spray risk area? ☐ kp) sprayed? ☐ kq) fed fodder from a spray risk area? ☐ kr) sprayed? ☐ ks) fed fodder from a spray risk area? ☐ kt) sprayed? ☐ ku) fed fodder from a spray risk area? ☐ kv) sprayed? ☐ kw) fed fodder from a spray risk area? ☐ kx) sprayed? ☐ ky) fed fodder from a spray risk area? ☐ kz) fed fodder from a spray risk area? ☐ la) sprayed? ☐ lb) fed fodder from a spray risk area? ☐ lc) sprayed? ☐ ld) fed fodder from a spray risk area? ☐ le) sprayed? ☐ lf) fed fodder from a spray risk area? ☐ lg) sprayed? ☐ lh) fed fodder from a spray risk area? ☐ li) sprayed? ☐ lj) fed fodder from a spray risk area? ☐ lk) sprayed? ☐ ll) fed fodder from a spray risk area? ☐ lm) sprayed? ☐ ln) fed fodder from a spray risk area? ☐ lo) sprayed? ☐ lp) fed fodder from a spray risk area? ☐ lq) sprayed? ☐ lr) fed fodder from a spray risk area? ☐ ls) sprayed? ☐ lt) fed fodder from a spray risk area? ☐ lu) sprayed? ☐ lv) fed fodder from a spray risk area? ☐ lw) sprayed? ☐ lx) fed fodder from a spray risk area? ☐ ly) sprayed? ☐ lz) fed fodder from a spray risk area? ☐ ma) sprayed? ☐ mb) fed fodder from a spray risk area? ☐ mc) sprayed? ☐ md) fed fodder from a spray risk area? ☐ me) sprayed? ☐ mf) fed fodder from a spray risk area? ☐ mg) sprayed? ☐ mh) fed fodder from a spray risk area? ☐ mi) sprayed? ☐ mj) fed fodder from a spray risk area? ☐ mk) sprayed? ☐ ml) fed fodder from a spray risk area? ☐ mn) sprayed? ☐ mo) fed fodder from a spray risk area? ☐ mp) sprayed? ☐ mq) fed fodder from a spray risk area? ☐ mr) sprayed? ☐ ms) fed fodder from a spray risk area? ☐ mt) sprayed? ☐ mu) fed fodder from a spray risk area? ☐ mv) sprayed? ☐ mw) fed fodder from a spray risk area? ☐ mx) sprayed? ☐ my) fed fodder from a spray risk area? ☐ mz) fed fodder from a spray risk area? ☐ na) sprayed? ☐ nb) fed fodder from a spray risk area? ☐ nc) sprayed? ☐ nd) fed fodder from a spray risk area? ☐ ne) sprayed? ☐ nf) fed fodder from a spray risk area? ☐ ng) sprayed? ☐ nh) fed fodder from a spray risk area? ☐ ni) sprayed? ☐ nj) fed fodder from a spray risk area? ☐ nk) sprayed? ☐ nl) fed fodder from a spray risk area? ☐ nm) sprayed? ☐ no) fed fodder from a spray risk area? ☐ np) sprayed? ☐ nq) fed fodder from a spray risk area? ☐ nr) sprayed? ☐ ns) fed fodder from a spray risk area? ☐ nt) sprayed? ☐ nu) fed fodder from a spray risk area? ☐ nv) sprayed? ☐ nw) fed fodder from a spray risk area? ☐ nx) sprayed? ☐ ny) fed fodder from a spray risk area? ☐ nz) fed fodder from a spray risk area? ☐ oa) sprayed? ☐ ob) fed fodder from a spray risk area? ☐ oc) sprayed? ☐ od) fed fodder from a spray risk area? ☐ oe) sprayed? ☐ of) fed fodder from a spray risk area? ☐ og) sprayed? ☐ oh) fed fodder from a spray risk area? ☐ oi) sprayed? ☐ oj) fed fodder from a spray risk area? ☐ ok) sprayed? ☐ ol) fed fodder from a spray risk area? ☐ om) sprayed? ☐ on) fed fodder from a spray risk area? ☐ oo) sprayed? ☐ op) fed fodder from a spray risk area? ☐ oq) sprayed? ☐ or) fed fodder from a spray risk area? ☐ os) sprayed? ☐ ot) fed fodder from a spray risk area? ☐ ou) sprayed? ☐ ov) fed fodder from a spray risk area? ☐ ow) sprayed? ☐ ox) fed fodder from a spray risk area? ☐ oy) sprayed? ☐ oz) fed fodder from a spray risk area? ☐ pa) sprayed? ☐ pb) fed fodder from a spray risk area? ☐ pc) sprayed? ☐ pd) fed fodder from a spray risk area? ☐ pe) sprayed? ☐ pf) fed fodder from a spray risk area? ☐ pg) sprayed? ☐ ph) fed fodder from a spray risk area? ☐ pi) sprayed? ☐ pj) fed fodder from a spray risk area? ☐ pk) sprayed? ☐ pl) fed fodder from a spray risk area? ☐ pm) sprayed? ☐ pn) fed fodder from a spray risk area? ☐ po) sprayed? ☐ pq) fed fodder from a spray risk area? ☐ pr) sprayed? ☐ ps) fed fodder from a spray risk area? ☐ pt) sprayed? ☐ pu) fed fodder from a spray risk area? ☐ pv) sprayed? ☐ pw) fed fodder from a spray risk area? ☐ px) sprayed? ☐ py) fed fodder from a spray risk area? ☐ pz) fed fodder from a spray risk area? ☐ qa) sprayed? ☐ qb) fed fodder from a spray risk area? ☐ qc) sprayed? ☐ qd) fed fodder from a spray risk area? ☐ qe) sprayed? ☐ qf) fed fodder from a spray risk area? ☐ qg) sprayed? ☐ qh) fed fodder from a spray risk area? ☐ qi) sprayed? ☐ qj) fed fodder from a spray risk area? ☐ qk) sprayed? ☐ ql) fed fodder from a spray risk area? ☐ qm) sprayed? ☐ qn) fed fodder from a spray risk area? ☐ qo) sprayed? ☐ qp) sprayed? ☐ qq) fed fodder from a spray risk area? ☐ qr) sprayed? ☐ qs) fed fodder from a spray risk area? ☐ qt) sprayed? ☐ qu) fed fodder from a spray risk area? ☐ qv) sprayed? ☐ qw) fed fodder from a spray risk area? ☐ qx) sprayed? ☐ qy) fed fodder from a spray risk area? ☐ qz) fed fodder from a spray risk area? ☐ ra) sprayed? ☐ rb) fed fodder from a spray risk area? ☐ rc) sprayed? ☐ rd) fed fodder from a spray risk area? ☐ re) sprayed? ☐ rf) fed fodder from a spray risk area? ☐ rg) sprayed? ☐ rh) fed fodder from a spray risk area? ☐ ri) sprayed? ☐ rj) fed fodder from a spray risk area? ☐ rk) sprayed? ☐ rl) fed fodder from a spray risk area? ☐ rm) sprayed? ☐ rn) fed fodder from a spray risk area? ☐ ro) sprayed? ☐ rp) sprayed? ☐ rq) fed fodder from a spray risk area? ☐ rr) sprayed? ☐ rs) fed fodder from a spray risk area? ☐ rt) sprayed? ☐ ru) fed fodder from a spray risk area? ☐ rv) sprayed? ☐ rw) fed fodder from a spray risk area? ☐ rx) sprayed? ☐ ry) fed fodder from a spray risk area? ☐ rz) fed fodder from a spray risk area? ☐ sa) sprayed? ☐ sb) fed fodder from a spray risk area? ☐ sc) sprayed? ☐ sd) fed fodder from a spray risk area? ☐ se) sprayed? ☐ sf) fed fodder from a spray risk area? ☐ sg) sprayed? ☐ sh) fed fodder from a spray risk area? ☐ si) sprayed? ☐ sj) fed fodder from a spray risk area? ☐ sk) sprayed? ☐ sl) fed fodder from a spray risk area? ☐ sm) sprayed? ☐ sn) fed fodder from a spray risk area? ☐ so) sprayed? ☐ sp) sprayed? ☐ sq) fed fodder from a spray risk area? ☐ sr) sprayed? ☐ ss) fed fodder from a spray risk area? ☐ st) sprayed? ☐ su) fed fodder from a spray risk area? ☐ sv) sprayed? ☐ sw) fed fodder from a spray risk area? ☐ sx) sprayed? ☐ sy) fed fodder from a spray risk area? ☐ sz) fed fodder from a spray risk area? ☐ ta) sprayed? ☐ tb) fed fodder from a spray risk area? ☐ tc) sprayed? ☐ td) fed fodder from a spray risk area? ☐ te) sprayed? ☐ tf) fed fodder from a spray risk area? ☐ tg) sprayed? ☐ th) fed fodder from a spray risk area? ☐ ti) sprayed? ☐ tj) fed fodder from a spray risk area? ☐ tk) sprayed? ☐ tl) fed fodder from a spray risk area? ☐ tm) sprayed? ☐ tn) fed fodder from a spray risk area? ☐ to) sprayed? ☐ tp) sprayed? ☐ tq) fed fodder from a spray risk area? ☐ tr) sprayed? ☐ ts) fed fodder from a spray risk area? ☐ tt) sprayed? ☐ tu) fed fodder from a spray risk area? ☐ tv) sprayed? ☐ tw) fed fodder from a spray risk area? ☐ tx) sprayed? ☐ ty) fed fodder from a spray risk area? ☐ tz) fed fodder from a spray risk area? ☐ ua) sprayed? ☐ ub) fed fodder from a spray risk area? ☐ uc) sprayed? ☐ ud) fed fodder from a spray risk area? ☐ ue) sprayed? ☐ uf) fed fodder from a spray risk area? ☐ ug) sprayed? ☐ uh) fed fodder from a spray risk area? ☐ ui) sprayed? ☐ uj) fed fodder from a spray risk area? ☐ uk) sprayed? ☐ ul) fed fodder from a spray risk area? ☐ um) sprayed? ☐ un) fed fodder from a spray risk area? ☐ uo) sprayed? ☐ up) sprayed? ☐ uq) fed fodder from a spray risk area? ☐ ur) sprayed? ☐ us) fed fodder from a spray risk area? ☐ ut) sprayed? ☐ uu) fed fodder from a spray risk area? ☐ uv) sprayed? ☐ uw) fed fodder from a spray risk area? ☐ ux) sprayed? ☐ uy) fed fodder from a spray risk area? ☐ uz) fed fodder from a spray risk area? ☐ va) sprayed? ☐ vb) fed fodder from a spray risk area? ☐ vc) sprayed? ☐ vd) fed fodder from a spray risk area? ☐ ve) sprayed? ☐ vf) fed fodder from a spray risk area? ☐ vg) sprayed? ☐ vh) fed fodder from a spray risk area? ☐ vi) sprayed? ☐ vj) fed fodder from a spray risk area? ☐ vk) sprayed? ☐ vl) fed fodder from a spray risk area? ☐ vm) sprayed? ☐ vn) fed fodder from a spray risk area? ☐ vo) sprayed? ☐ vp) sprayed? ☐ vq) fed fodder from a spray risk area? ☐ vr) sprayed? ☐ vs) fed fodder from a spray risk area? ☐ vt) sprayed? ☐ vu) fed fodder from a spray risk area? ☐ vv) sprayed? ☐ vw) fed fodder from a spray risk area? ☐ vx) sprayed? ☐ vy) fed fodder from a spray risk area? ☐ vz) fed fodder from a spray risk area? ☐ wa) sprayed? ☐ wb) fed fodder from a spray risk area? ☐ wc) sprayed? ☐ wd) fed fodder from a spray risk area? ☐ we) sprayed? ☐ wf) fed fodder from a spray risk area? ☐ wg) sprayed? ☐ wh) fed fodder from a spray risk area? ☐ wi) sprayed? ☐ wj) fed fodder from a spray risk area? ☐ wk) sprayed? ☐ wl) fed fodder from a spray risk area? ☐ wm) sprayed? ☐ wn) fed fodder from a spray risk area? ☐ wo) sprayed? ☐ wp) sprayed? ☐ wq) fed fodder from a spray risk area? ☐ wr) sprayed? ☐ ws) fed fodder from a spray risk area? ☐ wt) sprayed? ☐ wu) fed fodder from a spray risk area? ☐ wv) sprayed? ☐ ww) fed fodder from a spray risk area? ☐ wx) sprayed? ☐ wy) fed fodder from a spray risk area? ☐ wz) fed fodder from a spray risk area? ☐ xa) sprayed? ☐ xb) fed fodder from a spray risk area? ☐ xc) sprayed? ☐ xd) fed fodder from a spray risk area? ☐ xe) sprayed? ☐ xf) fed fodder from a spray risk area? ☐ xg) sprayed? ☐ xh) fed fodder from a spray risk area? ☐ xi) sprayed? ☐ xj) fed fodder from a spray risk area? ☐ xk) sprayed? ☐ xl) fed fodder from a spray risk area? ☐ xm) sprayed? ☐ xn) fed fodder from a spray risk area? ☐ xo) sprayed? ☐ xp) sprayed? ☐ xq) fed fodder from a spray risk area? ☐ xr) sprayed? ☐ xs) fed fodder from a spray risk area? ☐ xt) sprayed? ☐ xu) fed fodder from a spray risk area? ☐ xv) sprayed? ☐ xw) fed fodder from a spray risk area? ☐ xx) sprayed? ☐ xy) fed fodder from a spray risk area? ☐ xz) fed fodder from a spray risk area? ☐ ya) sprayed? ☐ yb) fed fodder from a spray risk area? ☐ yc) sprayed? ☐ yd) fed fodder from a spray risk area? ☐ ye) sprayed? ☐ yf) fed fodder from a spray risk area? ☐ yg) sprayed? ☐ yh) fed fodder from a spray risk area? ☐ yi) sprayed? ☐ yj) fed fodder from a spray risk area? ☐ yk) sprayed? ☐ yl) fed fodder from a spray risk area? ☐ ym) sprayed? ☐ yn) fed fodder from a spray risk area? ☐ yo) sprayed? ☐ yp) sprayed? ☐ yq) fed fodder from a spray risk area? ☐ yr) sprayed? ☐ ys) fed fodder from a spray risk area? ☐ yt) sprayed? ☐ yu) fed fodder from a spray risk area? ☐ yv) sprayed? ☐ yw) fed fodder from a spray risk area? ☐ yx) sprayed? ☐ yy) fed fodder from a spray risk area? ☐ yz) fed fodder from a spray risk area? ☐ za) sprayed? ☐ zb) fed fodder from a spray risk area? ☐ zc) sprayed? ☐ zd) fed fodder from a spray risk area? ☐ ze) sprayed? ☐ zf) fed fodder from a spray risk area? ☐ zg) sprayed? ☐ zh) fed fodder from a spray risk area? ☐ zi) sprayed? ☐ zj) fed fodder from a spray risk area? ☐ zk) sprayed? ☐ zl) fed fodder from a spray risk area? ☐ zm) sprayed? ☐ zn) fed fodder from a spray risk area? ☐ zo) sprayed? ☐ zp) sprayed? ☐ zq) fed fodder from a spray risk area? ☐ zr) sprayed? ☐ zs) fed fodder from a spray risk area? ☐ zt) sprayed? ☐ zu) fed fodder from a spray risk area? ☐ zv) sprayed? ☐ zw) fed fodder from a spray risk area? ☐ zx) sprayed? ☐ zy) fed fodder from a spray risk area? ☐ zz) fed fodder from a spray risk area? ☐

**Declaration**

I, David Gratzler, declare that I am the owner or the person responsible for the husbandry of the cattle and that all the information in Part A of this document is true and correct. I also declare that I have read and understood all the questions that I have answered, that I have read and understood the conditions of use of the LPA NVD and that I have read and understood the material (including meat and bone meal) in breach of State or Territory legislation.

Signature: David Gratzler Date: 1/20

Tel no. 02 9463 3900 Fax no. 02 9463 3911

Email: dgratzler@gmail.com.au

**Part B** To be completed by the person in charge of the cattle while they are being moved.

Consignment of this part is optional in SA and VIC.

Movement commenced: 1/20 (am/pm)

Vehicle registration number(s):

**1** am the person in charge of the cattle during the movement and declare all the information in Part B is true and correct.

Signature: David Gratzler Date: 1/20 Tel no.

**Do not amend the pre-printed PIC.**  
This NVD can ONLY be used for cattle located on this PIC.

**Complete all details about the livestock.**  
Use a separate line for each different group, split by breed and sex.

**Contact receiver, agent or saleyards to find out correct destination PIC.**  
The consignee can be different to the destination.  
When selling at a saleyards the consignee will be the agent and the destination (and PIC) will be the saleyards.

**Only tick Yes or No in questions 1 to 8.**  
Do not tick both.  
If some of the consignments require you to tick Yes then this applies to the entire consignment.


**If your PIC has had an Extended Residue Program (ERP) status (e.g. EW, OC or CT) in the past 6 months, tick Yes.**

**Do not send cattle to slaughter if they are still within Withholding Periods (WHP) or Export Slaughter Intervals (ESI).**  
Information about ESI and WHP for all livestock species can be found at [www.apvma.gov.au/ESI](http://www.apvma.gov.au/ESI)


**Make sure you read and understand what you are signing, including that cattle must not have been fed Restricted Animal Material (RAM).**  
An unsigned LPA NVD is invalid.

**The carrier should fill in Part B.**

# HOW TO COMPLETE A GOAT NVD



Integrity Systems  
red meat customer assurance



## The LPA NVD is your declaration and guarantee to buyers.

**Make sure it is clear, complete and correct, so you can stand by what you sell.**

**Who is responsible for completing the LPA NVD?**

**Part A:** The goat owner or the person responsible for the husbandry of the goats.

**Part B:** The livestock carrier.

**Who keeps the copies?**

**Top sheet:** (White) goes with the goats to the purchaser.

**Middle sheet:** (Green) goes to the carrier.

**Bottom sheet:** (Pink) stays in the book and should be kept for auditing purposes.

**How do I order copies of the LPA NVD?**

1 Go to [www.integritysystems.com.au/nvd](http://www.integritysystems.com.au/nvd) or  
2 Phone 1800 683 111

**Where do I go for more information?**

Go to [www.integritysystems.com.au/lpa](http://www.integritysystems.com.au/lpa)

**Do not amend the pre-printed PIC.**  
This NVD can ONLY be used for goats located on this PIC.

**Complete all details about the livestock.**  
Use a separate line for each different group, split by breed and sex.

**List all other PIC numbers on the tags of goats in this consignment.**

**Contact receiver, agent or saleyards to find out correct destination PIC.**  
The consignee can be different to the destination.  
When selling at a saleyards the consignee will be the agent and the destination (and PIC) will be the saleyards.

**Only tick Yes or No in questions 1 to 5. Do not tick both.**  
If some of the consignment require you to tick Yes then this applies to the entire consignment.

**Do not send goats to slaughter if they are still within Withholding Periods (WHP) or Export Slaughter Intervals (ESI).**  
Information about ESI and WHP for all livestock species can be found at [www.apvma.gov.au/ESI](http://www.apvma.gov.au/ESI)

**Make sure you read and understand what you are signing, including that goats must not have been fed Restricted Animal Material (RAM).**  
An unsigned LPA NVD is invalid.

**The carrier should fill in Part B.**

**Are any of the goats in this consignment still within a Withholding Period (WHP) or Export Slaughter Interval (ESI) as set by APVMA or SAfEMET, following treatment with any veterinary drug or chemical?**

Particulars: ☐ Yes ☒ No If Yes, give details: (Record additional details in question 6)

**In the past 60 days, have any of these goats consumed any material that was still within a withholding period when harvested, collected or first grazed?**

Yes ☒ No ☐ If Yes, give details: (See explanatory notes)

**Have the goats in this consignment ever in their lives been fed feed containing animal fats?**

Yes ☐ No ☒ (See explanatory notes)

**Please include any additional information below**  
e.g. vaccination programs, animal health certification, additional declarations, etc.

*National Goat Health Declaration - attached, vaccinated with Ixovax 6 (2 doses)*

**Declaration**

I, Benella Smith, of Benella VIC 3872, declare that I am the owner or the person responsible for the husbandry of the goats and that all the information in part A of this document is true and correct. I also declare that I have read and understood all the questions that I have answered, that I have read and understood the explanatory notes, and that, while under my control, the goats were not fed restricted animal material (including meat and bone meal) in breach of State or Territory legislation.

Signature: Benella Smith Date: 04 / 05 / 2020  
\*Only the person whose name appears above may sign this declaration, or make amendments which must be initialed.

Tel no. 02 9463 5000 Fax no. 02 9463 3911  
 Email: ssmith@cmwll.com.au

**Part B** To be completed by the person in charge of the goats while they are being moved.  
Completion of this part is optional in SA and VIC.

Movement commenced:    /    /    (am/pm)

Vehicle registration number(s):   

**I am the person in charge of the goats during the movement and declare all the information in Part B is true and correct.**

Signature:    Date:    /    /    Tel no.     
\*When more than one truck is carrying the goats, other vehicle registration numbers are to be recorded.

**NATIONAL VENDOR DECLARATION (GOATS) AND WAYBILL**

Owner of goats: Benella Smith 3888888888 G0720

Property/place where the journey commenced: Benella VIC

Property Identification Code (PIC) of this property: 3ABCD123

**Description of goats**

Number	Sex	Breed	Age	Health of	Remarks
50	2000	Cross-bred goats	03/03/20	03/03/20	50B020243
50	0	Total			

Consignment to: John Burrows, Burrows Livestock Agency

Destination (if different of goats): Benella Saleyards

Destination PIC (REQ: WA & TAS): 3, 3, Y, D, L, 6, 7, 2

**Details of other statutory documents relating to this movement e.g. health statement**

Are all goats in this consignment eligible to be moved tag free? Yes ☐ No ☒ (If Yes, move to question 2)

Harvested rangefield goats can be moved tag free if they are moved from the property on which they were captured to an abattoir for slaughter or directly to a registered goat depot.

If No, either:  
 A. Confirm that you have listed all PICs on all NLS tags in this consignment in the description table above - Yes ☒  
 OR (do not tick both)  
 B. Confirm that you have tagged all the goats in the consignment with the PIC printed on this NVD or your WA brand as in description table - Yes ☐

**For farmed goats, were all of them bred by the owner or vendor?**  
 (Skip question if declared eligible to be moved tag free)  
 Yes ☐ No ☒ If No, how long were the goats obtained or purchased?  
 If purchased at different times, tick the box corresponding to the time of the most recent purchase.  
 A. Less than 2 months ☐ B. 2-6 months ☐ C. 6-12 months ☐ D. more than 12 months ☒

**Have any of the goats in the consignment ever been consigned to a feedlot or subjected to any chemical or veterinary treatment?**  
 Yes ☒ No ☐

© Copyright Integrity Systems Company 2021. Livestock Production Assurance logo is a registered trademark of Integrity Systems Company Limited. \*The LPA NVD is for cattle, sheep and lambs, EU cattle, goats, and bobby calves. Travel documents (such as waybills and travelling stock statements) are required by State Governments in Western Australia, New South Wales, Tasmania and Queensland. They are optional in South Australia and Victoria. The LPA NVD is not recognised as a legal document for stock movements in the Northern Territory.

# HOW TO COMPLETE A SHEEP AND LAMB NVD

**The LPA NVD is your declaration and guarantee to buyers.**



**safe meat**  
Integrity Systems  
red meat customer assurance

**Make sure it is clear, complete and correct, so you can stand by what you sell.**

**Who is responsible for completing the LPA NVD?**

- Part A:** The sheep or lambs owner or the person responsible for the husbandry of the sheep or lambs.  
**Part B:** The livestock carrier.

**Who keeps the copies?**

- Top sheet:** (White) goes with the sheep/lambs to the purchaser.  
**Middle sheet:** (Green) goes to the carrier.  
**Bottom sheet:** (Pink) stays in the book and should be kept for auditing purposes.

**How do I order copies of the LPA NVD?**

- Go to [www.integritysystems.com.au/nvd](http://www.integritysystems.com.au/nvd) or
  - Phone 1800 683 111
- Where do I go for more information?**  
Go to [www.integritysystems.com.au/lpa](http://www.integritysystems.com.au/lpa)

**Do not amend the pre-printed PIC.** This NVD can ONLY be used for sheep/lambs located on this PIC.

Complete all details about the livestock. Use a separate line for each different group, split by breed and sex.

Complete this section if any of the livestock do NOT have an electronic NLIS tag. Choose either A or B in the section below and fill in the required details.

Enter number of livestock tagged with electronic NLIS tags (if all have them, PIC or WA brand details are not needed above).

Contact receiver, agent or saleyards to find out correct destination PIC. The consignee can be different to the destination. When selling at a saleyards the consignee will be the agent and the destination (and PIC) will be the saleyards.

Do not send sheep and lambs to slaughter if they are still within **Withholding Periods (WHP)** or **Export Slaughter Intervals (ESI)**. Information about ESI and WHP for all livestock species can be found at [www.apvma.gov.au/ESI](http://www.apvma.gov.au/ESI)

Make sure you read and understand what you are signing, including that sheep or lambs must not have been fed **Restricted Animal Material (RAM)**. An unsigned LPA NVD is invalid.

The carrier should fill in Part B.

Only tick **Yes** or **No** in questions 1 to 6. Do not tick both. If some of the consignment require you to tick **Yes** then this applies to the entire consignment.

**NATIONAL VENDOR DECLARATION (SHEEP AND LAMBS) AND WAYBILL**

Owner of sheep or lambs: Myungela Smith 3888888888

Property/Place where the journey commenced: Myungela Smith 3888888888

Property Identification Code (PIC) of this property: 3ABCD123

Year born	Sex	Month of shearing	Remarks
2016	BLX Mer	March 2020	Wether
2017	TST X	March 2020	Wether
2018	TST X	March 2020	Wether
2019	TST X	March 2020	Wether
2020	TST X	March 2020	Wether
2021	TST X	March 2020	Wether
2022	TST X	March 2020	Wether
2023	TST X	March 2020	Wether
2024	TST X	March 2020	Wether
2025	TST X	March 2020	Wether
2026	TST X	March 2020	Wether
2027	TST X	March 2020	Wether
2028	TST X	March 2020	Wether
2029	TST X	March 2020	Wether
2030	TST X	March 2020	Wether
2031	TST X	March 2020	Wether
2032	TST X	March 2020	Wether
2033	TST X	March 2020	Wether
2034	TST X	March 2020	Wether
2035	TST X	March 2020	Wether
2036	TST X	March 2020	Wether
2037	TST X	March 2020	Wether
2038	TST X	March 2020	Wether
2039	TST X	March 2020	Wether
2040	TST X	March 2020	Wether
2041	TST X	March 2020	Wether
2042	TST X	March 2020	Wether
2043	TST X	March 2020	Wether
2044	TST X	March 2020	Wether
2045	TST X	March 2020	Wether
2046	TST X	March 2020	Wether
2047	TST X	March 2020	Wether
2048	TST X	March 2020	Wether
2049	TST X	March 2020	Wether
2050	TST X	March 2020	Wether
2051	TST X	March 2020	Wether
2052	TST X	March 2020	Wether
2053	TST X	March 2020	Wether
2054	TST X	March 2020	Wether
2055	TST X	March 2020	Wether
2056	TST X	March 2020	Wether
2057	TST X	March 2020	Wether
2058	TST X	March 2020	Wether
2059	TST X	March 2020	Wether
2060	TST X	March 2020	Wether
2061	TST X	March 2020	Wether
2062	TST X	March 2020	Wether
2063	TST X	March 2020	Wether
2064	TST X	March 2020	Wether
2065	TST X	March 2020	Wether
2066	TST X	March 2020	Wether
2067	TST X	March 2020	Wether
2068	TST X	March 2020	Wether
2069	TST X	March 2020	Wether
2070	TST X	March 2020	Wether
2071	TST X	March 2020	Wether
2072	TST X	March 2020	Wether
2073	TST X	March 2020	Wether
2074	TST X	March 2020	Wether
2075	TST X	March 2020	Wether
2076	TST X	March 2020	Wether
2077	TST X	March 2020	Wether
2078	TST X	March 2020	Wether
2079	TST X	March 2020	Wether
2080	TST X	March 2020	Wether
2081	TST X	March 2020	Wether
2082	TST X	March 2020	Wether
2083	TST X	March 2020	Wether
2084	TST X	March 2020	Wether
2085	TST X	March 2020	Wether
2086	TST X	March 2020	Wether
2087	TST X	March 2020	Wether
2088	TST X	March 2020	Wether
2089	TST X	March 2020	Wether
2090	TST X	March 2020	Wether
2091	TST X	March 2020	Wether
2092	TST X	March 2020	Wether
2093	TST X	March 2020	Wether
2094	TST X	March 2020	Wether
2095	TST X	March 2020	Wether
2096	TST X	March 2020	Wether
2097	TST X	March 2020	Wether
2098	TST X	March 2020	Wether
2099	TST X	March 2020	Wether
2100	TST X	March 2020	Wether

Hours off feed and water before transporting: 6 hours

Consigned to: John Burrows, Burrows Livestock Agency

Destination (if different of sheep or lambs): Benalla, VIC

Destination PIC (REQ: WA & TAS): 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, 301, 303, 305, 307, 309, 311, 313, 315, 317, 319, 321, 323, 325, 327, 329, 331, 333, 335, 337, 339, 341, 343, 345, 347, 349, 351, 353, 355, 357, 359, 361, 363, 365, 367, 369, 371, 373, 375, 377, 379, 381, 383, 385, 387, 389, 391, 393, 395, 397, 399, 401, 403, 405, 407, 409, 411, 413, 415, 417, 419, 421, 423, 425, 427, 429, 431, 433, 435, 437, 439, 441, 443, 445, 447, 449, 451, 453, 455, 457, 459, 461, 463, 465, 467, 469, 471, 473, 475, 477, 479, 481, 483, 485, 487, 489, 491, 493, 495, 497, 499, 501, 503, 505, 507, 509, 511, 513, 515, 517, 519, 521, 523, 525, 527, 529, 531, 533, 535, 537, 539, 541, 543, 545, 547, 549, 551, 553, 555, 557, 559, 561, 563, 565, 567, 569, 571, 573, 575, 577, 579, 581, 583, 585, 587, 589, 591, 593, 595, 597, 599, 601, 603, 605, 607, 609, 611, 613, 615, 617, 619, 621, 623, 625, 627, 629, 631, 633, 635, 637, 639, 641, 643, 645, 647, 649, 651, 653, 655, 657, 659, 661, 663, 665, 667, 669, 671, 673, 675, 677, 679, 681, 683, 685, 687, 689, 691, 693, 695, 697, 699, 701, 703, 705, 707, 709, 711, 713, 715, 717, 719, 721, 723, 725, 727, 729, 731, 733, 735, 737, 739, 741, 743, 745, 747, 749, 751, 753, 755, 757, 759, 761, 763, 765, 767, 769, 771, 773, 775, 777, 779, 781, 783, 785, 787, 789, 791, 793, 795, 797, 799, 801, 803, 805, 807, 809, 811, 813, 815, 817, 819, 821, 823, 825, 827, 829, 831, 833, 835, 837, 839, 841, 843, 845, 847, 849, 851, 853, 855, 857, 859, 861, 863, 865, 867, 869, 871, 873, 875, 877, 879, 881, 883, 885, 887, 889, 891, 893, 895, 897, 899, 901, 903, 905, 907, 909, 911, 913, 915, 917, 919, 921, 923, 925, 927, 929, 931, 933, 935, 937, 939, 941, 943, 945, 947, 949, 951, 953, 955, 957, 959, 961, 963, 965, 967, 969, 971, 973, 975, 977, 979, 981, 983, 985, 987, 989, 991, 993, 995, 997, 999, 1001, 1003, 1005, 1007, 1009, 1011, 1013, 1015, 1017, 1019, 1021, 1023, 1025, 1027, 1029, 1031, 1033, 1035, 1037, 1039, 1041, 1043, 1045, 1047, 1049, 1051, 1053, 1055, 1057, 1059, 1061, 1063, 1065, 1067, 1069, 1071, 1073, 1075, 1077, 1079, 1081, 1083, 1085, 1087, 1089, 1091, 1093, 1095, 1097, 1099, 1101, 1103, 1105, 1107, 1109, 1111, 1113, 1115, 1117, 1119, 1121, 1123, 1125, 1127, 1129, 1131, 1133, 1135, 1137, 1139, 1141, 1143, 1145, 1147, 1149, 1151, 1153, 1155, 1157, 1159, 1161, 1163, 1165, 1167, 1169, 1171, 1173, 1175, 1177, 1179, 1181, 1183, 1185, 1187, 1189, 1191, 1193, 1195, 1197, 1199, 1201, 1203, 1205, 1207, 1209, 1211, 1213, 1215, 1217, 1219, 1221, 1223, 1225, 1227, 1229, 1231, 1233, 1235, 1237, 1239, 1241, 1243, 1245, 1247, 1249, 1251, 1253, 1255, 1257, 1259, 1261, 1263, 1265, 1267, 1269, 1271, 1273, 1275, 1277, 1279, 1281, 1283, 1285, 1287, 1289, 1291, 1293, 1295, 1297, 1299, 1301, 1303, 1305, 1307, 1309, 1311, 1313, 1315, 1317, 1319, 1321, 1323, 1325, 1327, 1329, 1331, 1333, 1335, 1337, 1339, 1341, 1343, 1345, 1347, 1349, 1351, 1353, 1355, 1357, 1359, 1361, 1363, 1365, 1367, 1369, 1371, 1373, 1375, 1377, 1379, 1381, 1383, 1385, 1387, 1389, 1391, 1393, 1395, 1397, 1399, 1401, 1403, 1405, 1407, 1409, 1411, 1413, 1415, 1417, 1419, 1421, 1423, 1425, 1427, 1429, 1431, 1433, 1435, 1437, 1439, 1441, 1443, 1445, 1447, 1449, 1451, 1453, 1455, 1457, 1459, 1461, 1463, 1465, 1467, 1469, 1471, 1473, 1475, 1477, 1479, 1481, 1483, 1485, 1487, 1489, 1491, 1493, 1495, 1497, 1499, 1501, 1503, 1505, 1507, 1509, 1511, 1513, 1515, 1517, 1519, 1521, 1523, 1525, 1527, 1529, 1531, 1533, 1535, 1537, 1539, 1541, 1543, 1545, 1547, 1549, 1551, 1553, 1555, 1557, 1559, 1561, 1563, 1565, 1567, 1569, 1571, 1573, 1575, 1577, 1579, 1581, 1583, 1585, 1587, 1589, 1591, 1593, 1595, 1597, 1599, 1601, 1603, 1605, 1607, 1609, 1611, 1613, 1615, 1617, 1619, 1621, 1623, 1625, 1627, 1629, 1631, 1633, 1635, 1637, 1639, 1641, 1643, 1645, 1647, 1649, 1651, 1653, 1655, 1657, 1659, 1661, 1663, 1665, 1667, 1669, 1671, 1673, 1675, 1677, 1679, 1681, 1683, 1685, 1687, 1689, 1691, 1693, 1695, 1697, 1699, 1701, 1703, 1705, 1707, 1709, 1711, 1713, 1715, 1717, 1719, 1721, 1723, 1725, 1727, 1729, 1731, 1733, 1735, 1737, 1739, 1741, 1743, 1745, 1747, 1749, 1751, 1753, 1755, 1757, 1759, 1761, 1763, 1765, 1767, 1769, 1771, 1773, 1775, 1777, 1779, 1781, 1783, 1785, 1787, 1789, 1791, 1793, 1795, 1797, 1799, 1801, 1803, 1805, 1807, 1809, 1811, 1813, 1815, 1817, 1819, 1821, 1823, 1825, 1827, 1829, 1831, 1833, 1835, 1837, 1839, 1841, 1843, 1845, 1847, 1849, 1851, 1853, 1855, 1857, 1859, 1861, 1863, 1865, 1867, 1869, 1871, 1873, 1875, 1877, 1879, 1881, 1883, 1885, 1887, 1889, 1891, 1893, 1895, 1897, 1899, 1901, 1903, 1905, 1907, 1909, 1911, 1913, 1915, 1917, 1919, 1921, 1923, 1925, 1927, 1929, 1931, 1933, 1935, 1937, 1939, 1941, 1943, 1945, 1947, 1949, 1951, 1953, 1955, 1957, 1959, 1961, 1963, 1965, 1967, 1969, 1971, 1973, 1975, 1977, 1979, 1981, 1983, 1985, 1987, 1989, 1991, 1993, 1995, 1997, 1999, 2001, 2003, 2005, 2007, 2009, 2011, 2013, 2015, 2017, 2019, 2021, 2023, 2025, 2027, 2029, 2031, 2033, 2035, 2037, 2039, 2041, 2043, 2045, 2047, 2049, 2051, 2053, 2055, 2057, 2059, 2061, 2063, 2065, 2067, 2069, 2071, 2073, 2075, 2077, 2079, 2081, 2083, 2085, 2087, 2089, 2091, 2093, 2095, 2097, 2099, 2101, 2103, 2105, 2107, 2109, 2111, 2113, 2115, 2117, 2119, 2121, 2123, 2125, 2127, 2129, 2131, 2133, 2135, 2137, 2139, 2141, 2143, 2145, 2147, 2149, 2151, 2153, 2155, 2157, 2159, 2161, 2163, 2165, 2167, 2169, 2171, 2173, 2175, 2177, 2179, 2181, 2183, 2185, 2187, 2189, 2191, 2193, 2195, 2197, 2199, 2201, 2203, 2205, 2207, 2209, 2211, 2213, 2215, 2217, 2219, 2221, 2223, 2225, 2227, 2229, 2231, 2233, 2235, 2237, 2239, 2241, 2243, 2245, 2247, 2249, 2251, 2253, 2255, 2257, 2259, 2261, 2263, 2265, 2267, 2269, 2271, 2273, 2275, 2277, 2279, 2281, 2283, 2285, 2287, 2289, 2291, 2293, 2295, 2297, 2299, 2301, 2303, 2305, 2307, 2309, 2311, 2313, 2315, 2317, 2319, 2321, 2323, 2325, 2327, 2329, 2331, 2333, 2335, 2337, 2339, 2341, 2343, 2345, 2347, 2349, 2351, 2353, 2355, 2357, 2359, 2361, 2363, 2365, 2367, 2369, 2371, 2373, 2375, 2377, 2379, 2381, 2383, 2385, 2387, 2389, 2391, 2393, 2395, 2397, 2399, 2401, 2403, 2405, 2407, 2409, 2411, 2413, 2415, 2417, 2419, 2421, 2423, 2425, 2427, 2429, 2431, 2433, 2435, 2437, 2439, 2441, 2443, 2445, 2447, 2449, 2451, 2453, 2455, 2457, 2459, 2461, 2463, 2465, 2467, 2469, 2471, 2473, 2475, 2477, 2479, 2481, 2483, 2485, 2487, 2489, 2491, 2493, 2495, 2497, 2499, 2501, 2503, 2505, 2507, 2509, 2511, 2513, 2515,





QUESTION 2:  
Help George complete an NVD

The details of the sheep George is selling are as follows:

- 120 cross bred lambs
- PIC sheep are being moved from: 3ABCD123

Has he completed the NVD correctly?

**Property Identification Code (PIC) of this property**  
This MUST be the PIC of the property that the stock is being moved from

3ABCD123

**Description of sheep or lambs**

Number	Year born (DROP)	Description (BREED, SEX & TYPE E.G. CROSS-BRED, WETHER, LAMB)	Month of shearing	PICs on Ear Tags/Brands (IF DIFFERENT TO PIC SHOWN ABOVE)	Earmarks (IF PRESENT OR REQUIRED)
120	2017	Cross bred			
120	<b>Total</b>		Use the Attachment Forms for consignments that require more lines to describe the stock. (See Explanatory Notes)		

Select the correct option

Answer option

✓ / ✗

1 Yes

☐

2 No

☐

**Note:** Brands or earmarks are compulsory in QLD and NT for sheep.




Livestock Production  
Assurance

## COURSE — 5 —



# LIVESTOCK TRANSACTIONS & MOVEMENTS



## WHY DO WE NEED TO RECORD LIVESTOCK MOVEMENTS?

Recording livestock movements ensures treatments and exposure to food safety hazards are traceable. If a food safety issue occurs and livestock are not fully traceable, the source of the problem may be impossible to identify.

## DOCUMENTING LIVESTOCK MOVEMENTS

*Andy runs a sheep property and needs to keep records of livestock movements.*

### I "What records do I need to keep?"

You need to keep records for all introduced and dispatched livestock.

These records include:

- LPA NVDs for all livestock movements onto and off the property
- Livestock from properties with persistent residues like organochlorines or heavy metals
- HGP treated stock
- Exposure to physical contaminants

You must pay careful attention to the accuracy and completion of LPA NVDs and effective filing of records of all livestock that are introduced and leave your property.

**Note:** Keep records for a minimum of 3 years, in accordance with State legislation or for the duration of the livestock on the PIC, whichever is longer.



**National Livestock  
Identification System**

## UPDATING NLIS

The NLIS is Australia's system for identification and traceability of livestock. It enables cattle, sheep and goats to be traced from property of birth to slaughter for:

- Biosecurity
- Meat safety
- Product integrity
- Market access

All livestock movements onto or off a property must be recorded on the NLIS database in accordance with NLIS requirements. If livestock are bought, sold or moved through a saleyard, the livestock movement in the NLIS must be recorded by the saleyard. For private sales, that is those that do not take place via a saleyard, the buyer/receiver of the livestock must record the livestock movement onto their property in the NLIS. See NLIS database screenshot below, outlining requirements to transfer livestock.

Enter the details

Step 1 2 3

Please complete the following information. Fields marked with an \* must be filled in.

**\*Species** **\*Movement Date**

**\*From PIC** **\*Number of head**

**\*To PIC**

**\*NVD/Waybill Serial Number**

**Other PICs or Brands listed on NVD**

Enter each PIC or Brand on a separate line followed by the ENTER key.

☐ No Other PICs or Brands listed on NVD/Waybill

**\*Have the stock been bred by the vendor?**

If NO, how long ago were the livestock obtained or purchased? (If purchased at different times, select the option corresponding to the time of the most recent purchase.)

**NVD Image**

Select a file to attach with this Mob based movement. The file can not be greater than 1MB. Extension allowed are: PDF, JPG, GIF, TIF or PNG.

C-100385288\_1808 moved.pdf

**Comment**

◀ Back

Continue ▶



## QUESTION 1:

### *Help Andy record his purchase*

*Andy bought some new cattle, and needs to enter the details of the movement on the NLIS database. What information does he need to capture?*

Select the correct five options.

Answer option	✓ / ✗
1 RFID number	<input type="checkbox"/>
2 Source PIC	<input type="checkbox"/>
3 Date of movement	<input type="checkbox"/>
4 Destination PIC	<input type="checkbox"/>
5 NVD number	<input type="checkbox"/>
6 Today's date	<input type="checkbox"/>

#### Things to think about...

The information needed to record a movement will vary according to the origin and destination of the movement, and the type of identification tags attached to the livestock.

Movements of livestock with electronic RFID tags are recorded using the Livestock moved onto/off my property function.

Movements of livestock with visual tags are recorded using the mob-based movement onto/off my property.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✓ 5 ✓ 6 ✗





Livestock Production  
Assurance

## COURSE — 6 —



# BIOSECURITY

## WHY DO WE NEED BIOSECURITY PRACTICES?

Biosecurity is a set of measures for protecting livestock from infectious diseases, protecting your property from pests and avoiding the introduction of unwanted weeds.

Biosecurity practices reduce risks to your business by limiting the likelihood of introducing and spreading animal diseases, pests and weeds from an affected property to an unaffected property.

The benefits of implementing biosecurity practices on your property include:

- Lower risk of market disruption
- Higher productivity from better livestock and plant health
- Reduced damage and containment of outbreaks/events through early detection and management of diseases and weeds
- Reduced costs due to faster eradication and shorter quarantine periods





## QUESTION 1:

### *Help Jacinta identify biosecurity risks on her property*

I "What are common biosecurity risks that could harm my livestock?"

Select the six correct options.

Answer option	✓ / ✗
1 Bringing livestock feed and bedding onto her property	<input type="checkbox"/>
2 Bringing newly acquired livestock onto her property	<input type="checkbox"/>
3 Bringing breeding livestock onto her property and immediately releasing them into paddocks with other livestock	<input type="checkbox"/>
4 Moving livestock off her property	<input type="checkbox"/>
5 Visitors and staff moving around on her property	<input type="checkbox"/>
6 Feral animals entering her property	<input type="checkbox"/>
7 Newborn livestock grazing with other livestock	<input type="checkbox"/>

#### Things to think about...

Livestock, feral animals, people, vehicles, feed and water that move onto or off a property can all carry disease, pests and weeds that pose a biosecurity risk.

Even if only a few breeding livestock enter the property at once, they need a segregation period to ensure their welfare and the welfare of the existing livestock on the property.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✓ 5 ✓ 6 ✓ 7 ✗

# EXPLORING BIOSECURITY RISKS

Livestock can become exposed to biological threats such as diseases and plant poisonings in many ways.



## Farm inputs

Bringing livestock, feed, bedding, fertilisers and chemicals onto her property can unintentionally introduce harmful and costly diseases, pests or weeds.

You will find a video about this risk on the Farm Biosecurity website ([www.farmbiosecurity.com.au/essentials-toolkit/farm-inputs](http://www.farmbiosecurity.com.au/essentials-toolkit/farm-inputs)).



## Farm outputs

Chemical residues, moving animals off and back to her property, and disposing of animal waste, carcasses and effluent incorrectly can unintentionally expose Jacinta's livestock and that of other producers to diseases, pests and weeds.

You will find a video about this risk on the Farm Biosecurity website ([www.farmbiosecurity.com.au/essentials-toolkit/farm-outputs](http://www.farmbiosecurity.com.au/essentials-toolkit/farm-outputs)).



## People, vehicles and equipment

Staff, visitors, vehicles and machinery can be unintentional carriers of diseases, pests and weeds that could be detrimental to Jacinta's livestock and her business.


You will find a video about this risk on the Farm Biosecurity website ([www.farmbiosecurity.com.au/essentials-toolkit/people-vehicles-equipment/](http://www.farmbiosecurity.com.au/essentials-toolkit/people-vehicles-equipment/)).



## Production practices

The way Jacinta manages her livestock is crucial to preventing disease outbreaks on her property and limiting disease spread.

You will find a video about this risk on the Farm Biosecurity website ([www.farmbiosecurity.com.au/essentials-toolkit/production-practices/](http://www.farmbiosecurity.com.au/essentials-toolkit/production-practices/)).



## Ferals, pests and weeds

Feral animals pose a risk to Jacinta's property through direct impact on her livestock, and by carrying disease, pests or weed seeds onto and around her property.

You will find a video about this risk on the Farm Biosecurity website ([www.farmbiosecurity.com.au/essentials-toolkit/ferals-weeds](http://www.farmbiosecurity.com.au/essentials-toolkit/ferals-weeds)).



## HELP JACINTA IDENTIFY WAYS TO CONTAIN BIOSECURITY RISKS

### I "How can I contain biosecurity risks on my property?"

The first line of defence against pests, weeds and diseases is implementing sound biosecurity practices at the farm level.

You will find more information about containing biosecurity risks in the *National Farm Biosecurity Reference Manual: Grazing Livestock Production* on the Farm Biosecurity website ([www.farmbiosecurity.com.au/toolkit/plans-manuals/](http://www.farmbiosecurity.com.au/toolkit/plans-manuals/)).

You will find a LPA Biosecurity template at [www.integritysystems.com.au/on-farm-assurance/Biosecurity/](http://www.integritysystems.com.au/on-farm-assurance/Biosecurity/) to assist you with developing a plan to manage biosecurity on your farm.



### Livestock


Only buy livestock from a trusted source, and insist on a LPA National Vendor Declaration (NVD) and an animal health declaration.

You will find an example of an animal health declaration on the Farm Biosecurity website ([www.farmbiosecurity.com.au/toolkit/declarations-and-statements/](http://www.farmbiosecurity.com.au/toolkit/declarations-and-statements/)).

Keep new animals separate for 10 days to eliminate weed seeds and inspect them daily for signs of disease for 21 days.

Assess hygiene arrangements and contact with other livestock that leave and return to the property, e.g. at shows, and separate them for 10 days if considered necessary for emptying weed seeds or showing signs of disease.

Observe the animals for disease before returning them to companions.



## People, equipment and vehicles

Where reasonable and practical, control who enters the property by limiting entry points, restricting access and keeping a record of visitors. Display highly visible signs to support biosecurity messages.

You will find an example of a highly visible sign on the Farm Biosecurity website ([www.farmbiosecurity.com.au/toolkit/gate-signs/](http://www.farmbiosecurity.com.au/toolkit/gate-signs/)).

Encourage people to use facilities to clean boots and equipment on arrival and departure.

Clean and disinfect tools and feeding equipment before and after use.

You will find a video about controlling this risk on the Future Beef website ([futurebeef.com.au/resources/protecting-business-biosecurity-plan/](http://futurebeef.com.au/resources/protecting-business-biosecurity-plan/)).



## Feed and water

Request a Commodity/By-product Vendor Declaration (CI BVD) when purchasing feed, bedding and water to ensure they are free from weed seeds.

You will find a sample *Commodity Vendor Declaration* on the ISC website ([www.integritysystems.com.au/recordkeeping/](http://www.integritysystems.com.au/recordkeeping/)).

Store feed in a clean, dry area to prevent deterioration and mould or contamination from vermin and/or feral animals.

Inspect water sources and where possible prevent access by feral and wild animals. Stagnant water can spread disease.



## Pests and weeds

Develop a feral animal/pest control program.

Work with neighbours to identify and control weeds.

Monitor livestock, strays and feral animals for signs of disease and sickness.

Undertake regular property inspections to assess potential biosecurity breaches.

**Keep all properties in the area safe by calling the emergency disease hotline to report anything unusual to a vet.**

You will find the contact details for the emergency disease hotline on the Farm Biosecurity website ([www.farmbiosecurity.com.au/about/emergency-animal-diseases/](http://www.farmbiosecurity.com.au/about/emergency-animal-diseases/)).





---

### Animal health management

Implement practices that will protect livestock from known diseases, and record all health activities and treatments. These records need to be kept for 5 years.

Ensure all personnel working on-farm are vaccinated for identified risk diseases such as Q Fever and tetanus.

Where necessary, vaccinate livestock against zoonotic (animal to human) diseases such as leptospirosis.

Regularly inspect livestock to ensure early detection of ill animals. Increase the frequency of inspections during higher risk periods.

Call the emergency disease hotline to report anything unusual.



---

### Staff instruction

Ensure all staff:

- understand their role in implementing biosecurity practices on the property
- know how to identify sick and injured livestock
- know what to do in the event of a suspected emergency animal disease.



---

### Carcass, effluent and waste management

Select disposal areas to avoid the potential spread of contaminants by water, and contain them to prevent access by livestock, feral and domestic animals.

Where possible dispose of carcasses and waste in a segregated area, taking into account environmental and public considerations.

Put in place controls for the potential spread of disease from effluent.

---

## QUESTION 1:

### Help Jacinta keep her new animals safe

"I'm keen to expand my livestock enterprise, but I don't really want to expose my current stock to outside pests and diseases."



Select the four correct options.

Answer option	✓ / ✗
1 Request an LPA NVD for the new livestock	<input type="checkbox"/>
2 Inspect the animals' health	<input type="checkbox"/>
3 Place animals on a restricted diet for 10 days	<input type="checkbox"/>
4 Request an animal health declaration for the new livestock	<input type="checkbox"/>
5 Keep the new animals separate for at least 10 days and watch for diseases	<input type="checkbox"/>

#### Things to think about...

Jacinta can manage potential biosecurity risks associated with bringing new livestock onto her property by buying the animals from a trusted source and requesting an LPA NVD and animal health declaration with the animals.

Once the animals are on her property, she can further safeguard herself by isolating the animals from the rest of her livestock for 10 days to allow weed seeds to empty, and inspecting them daily to be sure they show no sign of illness or disease.

Jacinta must also ensure segregation and inspection of livestock such as breeding stock temporarily brought onto her property.

Answers 1 ✓ 2 ✓ 3 ✗ 4 ✓ 5 ✓



## HELP JACINTA CREATE AN EMERGENCY ANIMAL DISEASE ACTION PLAN

I "How can I be sure everyone knows what to do in case of an emergency?"

An Emergency Animal Disease (EAD) Action Plan details the actions Jacinta and her staff must do if there is a suspected emergency animal disease outbreak on her property.

It contains:

- Property identification information
- Contact details of responsible persons
- A management commitment statement
- A list of responsibilities for relevant persons

You will find a sample Emergency Animal Disease Action Plan on the Farm Biosecurity website ([www.farmbiosecurity.com.au/toolkit/records/](http://www.farmbiosecurity.com.au/toolkit/records/)).



Livestock Production  
Assurance

## COURSE — 7 —



# ANIMAL WELFARE

You will need to work through the topics that are relevant to the species on your enterprise.



Which types of species do you run on your property?	Topics
Cattle	1: Animal Welfare 2: Cattle Welfare Standards
Sheep	1: Animal Welfare 3: Sheep Welfare Standards
Goats	1: Animal Welfare 4: Goat Welfare Standards





## TOPIC 1: ANIMAL WELFARE

### ***Why do we need animal welfare Standards and Guidelines?***

#### **I "What do the Standards and Guidelines mean for me and my business?"**

The animal welfare system in Australia aims to ensure all livestock receive an acceptable level of care and treatment.

Animal welfare standards are enforceable legal obligations for ensuring the welfare of different categories of livestock, and livestock within enterprises e.g. land transport, processing, and sale yards.

These national guidelines are optional and provide recommended practices to achieve higher animal welfare outcomes than just the standards.



## QUESTION 1:

**What can Maree do to ensure the welfare of her livestock?**

*"Looking after the welfare of my livestock benefits them, the environment, and my bottom line."*



Select the six correct options.

Answer option	✓ / ✗
1 Provide adequate nutrition and water	<input type="checkbox"/>
2 Ensure livestock have social contact with others	<input type="checkbox"/>
3 Provide sufficient space for normal patterns of behaviour	<input type="checkbox"/>
4 Take precautions against extreme weather, natural disasters and predatory wildlife like dogs	<input type="checkbox"/>
5 Handle livestock in ways that minimise stress	<input type="checkbox"/>
6 Avoid the use of pain relief for painful surgical procedures	<input type="checkbox"/>
7 Avoid procedures that cause significant pain	<input type="checkbox"/>

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✓ 5 ✓ 6 ✗ 7 ✓

Good animal husbandry principles include:

- Adequate nutrition and water to sustain good health and welfare
- Social contact with other livestock
- Sufficient space for animals to stand, lie and stretch their limbs and perform normal patterns of behaviour
- Handling facilities, equipment and procedures that minimise stress
- Procedures to minimise the risk of pain, injury or disease, and provision of appropriate treatment, including pain relief if necessary
- Providing reasonable precautions against extreme weather, the effects of natural disasters and the risk of predation
- Selection and breeding of livestock appropriate for the environment and the level of planned herd/flock management to be provided
- Assessing the need to undertake any husbandry procedures that may result in significant short-term pain against alternative strategies for the long-term welfare of the animal
- Undertaking any husbandry procedures in a manner that reduces the impact of these procedures and minimises risks to animal welfare

## ***Help Maree uncover the link between the standards and LPA requirements***

**"What do the Standards and Guidelines have to do with my LPA accreditation?"**

To maintain her LPA accreditation, Maree must implement on-farm systems that ensure the management of livestock is consistent with the requirements of the Australian Animal Welfare Standards and Guidelines.

As the Property Identification Code (PIC) representative, she must ensure that:

- a current copy of the Standards and Guidelines is accessible as a reference
- persons involved with husbandry of livestock are familiar with the content
- persons responsible for the management of livestock have successfully completed training in relation to the Standards and Guidelines through the LPA eLearning Tool or equivalent training
- persons responsible for the management of livestock have trained their staff (where relevant) in a manner consistent with the Standards and Guidelines.





## TOPIC 2: CATTLE WELFARE STANDARDS

**Note:** This topic is relevant if you run cattle on your property.

## Help Dave identify cattle welfare standards

### I "I want to make sure I follow the legal obligations for animal welfare."

There are several areas of welfare that apply to everyone responsible for the care and management of cattle:

- Responsibilities
- Feed and water
- Risk management of extreme weather, natural disasters, disease, injury and predation
- Facilities and equipment
- Handling and management
- Castration, dehorning and spaying
- Breeding management
- Calf-rearing systems
- Humane euthanasia
- Land transport

Additional areas of welfare apply to beef feedlots and dairy producers.

These areas of welfare are covered in a set of industry agreed standards that producers are legally obliged to comply with.

You will find the *Australian Animal Welfare Standards and Guidelines for Cattle* and the *Australian Animal Welfare Standards and Guidelines Land Transport of Livestock* on the Animal Welfare Standards website ([www.animalwelfarestandards.net.au](http://www.animalwelfarestandards.net.au)).





# RESPONSIBILITIES

## Responsibilities standard

- A person must take reasonable actions to ensure the welfare of cattle under their care.



### QUESTION 1:

**Help Dave identify how to ensure the welfare of cattle under his care**

*What actions must Dave take to ensure the welfare of the cattle under his care?*

Select the five correct options.

Answer option	✓ / ✗
1 Follow the animal welfare standards, guidelines and laws	<input type="checkbox"/>
2 Review existing on-farm practices regularly	<input type="checkbox"/>
3 Keep adequate treatment records	<input type="checkbox"/>
4 Provide staff induction and training	<input type="checkbox"/>
5 Understand local patterns of disease and disease prevention	<input type="checkbox"/>

### Things to think about...

Dave can ensure compliance with the standards by providing adequate housing, sanitation, nutrition, water, veterinary care, and protection from extreme weather conditions and natural disasters, and documenting treatments.

In addition, he should always handle his cattle in ways that minimise their stress.

He should also keep up to date with the welfare standards and laws, review his existing practices as required and train his staff.

Answers

1



2



3



4



5



## FEED AND WATER

### Feed and water standard

- A person in charge must ensure cattle have reasonable access to adequate and appropriate feed and water.

### QUESTION 2:

**Help Dave identify ways to ensure his cattle receive adequate and appropriate feed and water**



**I** How can Dave ensure compliance with the standard?

Select the two correct options.

Answer option	✓ / ✗
1 Adjust feed and water supply based on cattle needs	<input type="checkbox"/>
2 Allow cattle to freely graze all areas of the property	<input type="checkbox"/>
3 Inspect and maintain water infrastructure regularly	<input type="checkbox"/>

### Things to think about...

Dave should regularly assess his cattle's needs and adjust the quantity and quality of feed and water accordingly. This includes providing weaned calves with energy and protein supplements where necessary. You will find a *Guide to describing and managing beef cattle in low body condition* on the ALPA website ([www.alpa.net.au](http://www.alpa.net.au)).

He should regularly inspect and maintain self feeders and water infrastructure to ensure they are clean and in good working order.

He should prevent his cattle from accessing contaminated and spoilt feed, toxic plants and harmful substances.

Answers 1 ✓ 2 ✗ 3 ✓

## RISK MANAGEMENT

### Risk management standard

- A person in charge must take reasonable actions to ensure the welfare of cattle from threats, including extremes of weather, drought, fires, floods, disease, injury and predation.
- A person in charge must ensure the inspection of cattle at intervals, and at a level appropriate to the production system and the risk to the welfare of cattle.
- A person in charge must ensure appropriate treatment for sick, injured or diseased cattle at the first reasonable opportunity.



### QUESTION 3:

***Dave is serious about keeping his cattle safe from risks.***

**I** What are his obligations according to the animal welfare standards?

Select the three correct options.

Answer option	✓ / ✗
1 Protect cattle against predation, injury and disease	<input type="checkbox"/>
2 Regularly inspect cattle at a level appropriate to the production system	<input type="checkbox"/>
3 Protect cattle against extreme weather, drought, fires and floods	<input type="checkbox"/>
4 Euthanase sick, injured and diseased cattle as a precaution	<input type="checkbox"/>

### Things to think about...

Some ways in which Dave can minimise the risk to his cattle include:

- creating a plan outlining what to do in an emergency
- preparing drought strategies and implement them when necessary
- providing shelter to minimise risks to welfare during severe weather
- vaccinating against infectious diseases and seeking or providing treatment when necessary
- investigating unexplained disease and deaths to formulate remedial and preventive actions
- implementing predator control program to minimise the risk of predation

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✗

# FACILITIES AND EQUIPMENT

## Facilities and equipment standard

- A person in charge must take reasonable actions in the construction, maintenance and operation of facilities and equipment to ensure the welfare of cattle.



### General

When constructing or modifying facilities, you should take into account:

- Cattle behaviour and requirements
- Climate, flood and fire risk, shade and shelter
- Purpose and length of confinement
- Cleaning, waste disposal and drainage
- Surface materials

Design passage ways, races and entrances to reduce stress during movement through facilities.

Ensure facilities are free from protrusions and obstacles that may cause injury.



### Housed cattle

Ensure housed systems are clean, have adequate bedding material, provide a normal pattern of lighting, have acceptable air quality and are fitted with fire alarms and firefighting equipment.

Provide housed cattle with the opportunity for appropriate exercise each day.

Housed systems should have hospital pens with a comfortable lying surface for sick or injured cattle, and the means to move downer cattle to the hospital pen.

# HANDLING AND MANAGEMENT

## Handling and management standard

### Handling and management

- A person must handle cattle in a reasonable manner.
- A person handling cattle must not mistreat the animals in their care.
- A person must not drive cattle to the point of collapse.
- A person must consider the welfare of cattle when using an electric prod, and must not use it in an unreasonable manner on cattle.
- A person in charge of a dog, must have the dog under effective control at all times during the handling of cattle.
- A person in charge must ensure a dog is muzzled when moving calves less than 30 days old that are without cows.
- A person in charge must ensure tethered cattle are able to exercise daily.

### Electro-immobilisation

- A person must only use electro-immobilisation on cattle if:
  - the device is approved for use in the jurisdiction; and
  - the cattle are more than six months old; and
  - the operator is trained or it is done under direct supervision of a veterinarian or a trained person; and
  - alternative restraining methods are not adequate to hold cattle sufficiently for the procedure being performed.
- A person must not use electro-immobilisation on cattle as an alternative to pain relief.

### Identification

- A person must use the most appropriate and least painful method to identify cattle that is applicable to the jurisdiction and the production system.
- A person must not place a permanent brand on the head of cattle.



## QUESTION 4:

***Dave always handles his cattle in a reasonable manner.***

*What else must he do to minimise welfare risks when handling and managing his cattle?*



Select the four correct options.

Answer option	✓ / ✗
1 Ensure tethered cattle are able to exercise daily	<input type="checkbox"/>
2 Use the most appropriate and least painful method to identify cattle	<input type="checkbox"/>
3 Ensure dogs are under effective control during cattle handling	<input type="checkbox"/>
4 Use electro-immobilisation to restrain cattle for routine procedures	<input type="checkbox"/>
5 Only use an electric prod on calves older than three months	<input type="checkbox"/>

### Things to think about...

Dave can minimise stress by handling cattle quietly and calmly, making allowances for cattle with special needs and minimising the use of dogs and electric prodders.

He must ensure tethered cattle (cattle confined to a specific area by means of a chain connected to a central anchor point) can exercise daily.

When dipping, drenching or hoof paring, Dave should take care not to damage or injure the cattle.

He should restrain cattle to the minimum degree necessary, and use sharp and clean instruments for ear tagging and tattooing to minimise the risk of infection and tearing of the ear.

He should make sure anyone using electro-immobilisation are trained to a high level of competency.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✗ 5 ✓

# CASTRATION, DEHORNING AND SPAYING

## **Castration, dehorning and spaying standard**

- A person castrating or dehorning cattle must have the relevant knowledge, experience and skills, or be under the direct supervision of a person who has the relevant knowledge, experience and skills.

### **Castration**

- A person in charge must ensure the use of appropriate pain relief when castrating cattle, unless cattle are:
  - less than six months old or
  - less than 12 months old if at their first yarding and where the later age is approved in the jurisdiction.
- A person must use appropriate tools and methods to castrate cattle.

### **Disbudding and dehorning**

- A person in charge must ensure the use of appropriate pain relief when dehorning cattle, unless cattle are:
  - less than six months old or
  - less than 12 months old if at their first yarding and where the later age is approved in the jurisdiction.
- A person must consider the welfare of the calf when using caustic chemicals for disbudding the calf, and must only use it if the calf:
  - is less than fourteen days old
  - can be segregated from its mother for four hours after treatment
  - can be kept dry for 12 hours after treatment
  - is not wet.
- A person must use appropriate tools and methods to dehorn cattle and disbud calves.

### **Spaying**

- A person spaying a cow must be a veterinarian or, if permitted in the jurisdiction, be accredited or be under the direct supervision of a veterinarian or a person who is accredited.
- A person in charge must ensure the use of appropriate pain relief when performing the flank approach for spaying or webbing of cattle.
- A person must not use vaginal spreaders to spay small or immature cattle.



## QUESTION 5:

**Several animals on Dave's property must be castrated, dehorned and spayed for better herd management.**

*How can he reduce the welfare risk to the cattle when performing these procedures?*



Select the five correct options.

Answer option	✓ / ✗
1 Use pain relief for surgical procedures	<input type="checkbox"/>
2 Implement good hygiene practices	<input type="checkbox"/>
3 Calves should be less than 12 weeks old when castrated	<input type="checkbox"/>
4 Use the rubber-ring method to castrate calves more than two weeks old	<input type="checkbox"/>
5 Perform disbudding over dehorning	<input type="checkbox"/>
6 Use an accredited operator or vet only to spay cows	<input type="checkbox"/>

### Things to think about...

Dave should use appropriate pain relief when castrating, spaying or dehorning cattle. He should implement good hygiene practices in relation to facilities, hands, handling and instruments.

Calves should be more than 24 hours but less than 12 weeks old when castrated, and should not be weaned.

He should use the rubber-ring method on calves less than two weeks old, and the cutting method on calves more than two weeks old.

Dave should perform disbudding over dehorning, and perform the procedure as early as possible, preferably when calves are less than two weeks old.

Dave should use accredited operators or a vet to spay cows.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✗ 5 ✓ 6 ✓

## BREEDING MANAGEMENT

### Breeding management standard

- A person performing artificial breeding procedures on cattle must:
  - have the relevant knowledge, experience and skills, or be under the direct supervision of a person who has the relevant knowledge, experience and skills
  - take reasonable actions to minimise pain, distress or injury.
- A person in charge must ensure that:
  - the inspection of calving cattle is at intervals appropriate to the production system and the level of risk to the welfare of cattle
  - calving induction is done under veterinary advice
  - induced calves receive adequate colostrum or be humanely killed at the first reasonable opportunity, and before they are 12 hours old.



### QUESTION 6:

***Dave makes sure his breeding and management practices are appropriate to minimise the risk to the welfare of cattle.***

**I** What are his obligations according to the animal welfare standards?

Select the four correct options.

Answer option	✓ / ✗
1 Ensure only people with relevant knowledge, experience and skills perform artificial breeding procedures	<input type="checkbox"/>
2 Minimise pain, distress or injury when performing artificial breeding procedures	<input type="checkbox"/>
3 Inspect calving cattle regularly to minimise the risk to cattle welfare	<input type="checkbox"/>
4 Ensure calving induction is done under veterinary advice	<input type="checkbox"/>

### Things to think about...

As part of his breeding management responsibilities, Dave should make sure that he understands the reproduction and behaviour of both the cow and the bull.

He should regularly check bulls for injuries and disease and monitor their welfare.

He should have management strategies in place to minimise stress and calving difficulties, and only interfere when a cow requires birthing assistance.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✓

# CALF-REARING SYSTEMS

## Calf-rearing systems standard

- A person in charge must ensure:
  - the feeding and inspection of calves in calf rearing systems are performed daily
  - that calves housed in pens can turn around, lie down and fully stretch their limbs
  - sufficient iron in the diet to prevent anaemia in calves in veal production systems.
- A person in charge must not allow the faeces and urine of calves housed in indoor systems to accumulate to the stage that compromises calf health and welfare.

## QUESTION 7:

**Dave wants to ensure his calf-rearing system minimises the risk to the welfare of the calves on his property.**

**I What are his obligations according to the animal welfare standards?**

Select the four correct options.



**Note:** This question is only relevant if you run a diary.

Answer option	✓ / ✗
1 Feed calves daily	<input type="checkbox"/>
2 Inspect calves weekly	<input type="checkbox"/>
3 Ensure calves housed in pens have space to turn around and lie down	<input type="checkbox"/>
4 Prevent build-up of faeces and urine in housed systems	<input type="checkbox"/>
5 Provide roughage from three weeks old	<input type="checkbox"/>

## Things to think about...

Some ways in which Dave can minimise the risk to the welfare of calves in a calf rearing system include:

- supervising calves until they are trained to self-feed
- grouping calves by age and size, and keeping them in the company of other calves from three weeks old
- gradually introducing solid feed and providing roughage from three weeks old to aid development of the rumen function
- segregating and treating calves that become sick
- providing a clean, dry and well-drained environment with adequate space

Answers 1 ✓ 2 ✗ 3 ✓ 4 ✓ 5 ✓



# HUMANE EUTHANASIA

## Humane euthanasia standard

- A person in charge must ensure killing methods for cattle result in rapid loss of consciousness, followed by death while unconscious.
- A person in charge must have the relevant knowledge, experience and skills to be able to humanely kill cattle, or be under the direct supervision of a person who has the relevant knowledge, experience and skills, unless:
  - the cattle are suffering and need to be killed to prevent undue suffering; and
  - there is an unreasonable delay until direct supervision by a person who has the relevant knowledge, experience and skills becomes available.
- A person in charge of cattle suffering from severe distress, disease or injury that cannot be reasonably treated must ensure that the cattle are killed at the first reasonable opportunity.
- A person killing cattle must take reasonable action to confirm the animal is dead.
- A person killing a calf by a blow to the forehead must first ensure that the calf is less than 24 hours old and only use this method when no other humane killing methods are reasonably available.



## QUESTION 8:

***Dave has to humanely euthanase an animal that received a serious injury and can't be saved.***

*What must he do to ensure he complies with the standard for humane euthanasia?*

Select the three correct options.

Answer option	✓ / ✗
1 Use methods that result in rapid loss of consciousness followed by death	<input type="checkbox"/>
2 Have the knowledge, experience and skills to be able to humanely kill cattle	<input type="checkbox"/>
3 Confirm death in the animal after humane euthanasia	<input type="checkbox"/>
4 Use a blow to the head to euthanase a calf older than 24 hours	<input type="checkbox"/>

## Things to think about...

Some ways in which Dave can ensure safe and humane euthanasia include:

- use of close-range firearm to the brain or a captive bolt to the brain
- observing three or more signs of death
- ensuring he holds a current firearm licence and uses a registered firearm
- ensuring he is registered to use a captive bolt device if legislation requires

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✗

# LAND TRANSPORT

## Land transport standard

- During the transport process, the consignor is responsible for:
  - Mustering and assembling livestock
  - Handling livestock
  - Preparation, including inspection and selection as 'fit for the intended journey'
  - Feed and water provision
  - Holding periods before loading

## QUESTION 9:

**Dave is preparing to move some cattle off his property.**

*What are his responsibilities to ensure compliance with the standard for land transport?*

Select the three correct options.



Answer option	✓ / ✗
1 Mustering and assembling livestock	<input type="checkbox"/>
2 Inspecting and selecting livestock that are 'fit for the intended journey'	<input type="checkbox"/>
3 Restraining cattle from curfew until loading	<input type="checkbox"/>
4 Providing feed and water	<input type="checkbox"/>

## Things to think about...

Dave must inspect cattle to ensure they are fit for the intended journey, and manage livestock that are unfit for loading.

He must provide feed, water and rest as appropriate before curfew or loading.

He should provide suitable holding and loading facilities that do not predispose cattle to injury. Before loading cattle, he must complete the required documentation for each consignment. You will find an *Is it fit to load?* guide on the MLA website ([www.mla.com.au/fittoload](http://www.mla.com.au/fittoload)).

You will find the *Australian Animal Welfare Standards and Guidelines Land Transport of Livestock* on the Animal Welfare Standards website ([www.animalwelfarestandards.net.au](http://www.animalwelfarestandards.net.au)).

Answers 1 ✓ 2 ✓ 3 ✗ 4 ✓

## DAIRY MANAGEMENT

### Dairy management standard

- A person in charge must ensure the daily inspection of lactating dairy cows.
- A person in charge must implement appropriate actions to minimise heat stress of cattle.
- A person must tail dock cattle only on veterinary advice and only to treat injury or disease.
- A person in charge must ensure dairy cattle that are kept on feed pads for extended periods have access to a well-drained area for resting.



**Note:** This question is only relevant if you run a dairy.

### QUESTION 10:

***Dave regularly tests and maintains milking machinery and equipment in the dairy to minimise the risk of discomfort, injury and disease. He also has management strategies in place to prevent, detect and treat mastitis and lameness. During hot weather, he provides cows with access to drinking water at all times.***

*What actions must he take to ensure the welfare of the dairy cattle under his care?*

Select the three correct options.

Answer option	✓ / ✗
1 Inspect lactating dairy cows weekly	<input type="checkbox"/>
2 Minimise heat stress	<input type="checkbox"/>
3 Tail dock cattle only on veterinary advice	<input type="checkbox"/>
4 Provide well-drained resting areas for cattle on feed pads	<input type="checkbox"/>

### Things to think about...

Ways in which Dave can manage dairy cattle to minimise the risk to their welfare include:

- testing and maintaining milking machinery and equipment
- using milking techniques to minimise the risk of discomfort, injury and disease
- developing management strategies to prevent, detect and treat mastitis and lameness
- developing and implementing management procedures to reduce heat load risks

Answers 1 ✗ 2 ✓ 3 ✓ 4 ✓

# BEEF FEEDLOTS

## Beef feedlot standard

- A person in charge must:
  - ensure a minimum area of 9m<sup>2</sup> per Standard Cattle Unit for cattle held in external pens.
  - ensure that the diet composition and quantities fed are recorded, and that records are maintained for the duration of the feeding period of each group of cattle.
  - ensure feed is available daily to cattle in the beef feedlot.
  - do a risk assessment each year for the heat load risk at the feedlot, and implement appropriate actions to manage ongoing heat load risk.
  - have a documented Excessive Heat Load Action Plan, and must implement appropriate actions in the event of a heat load emergency.
  - have a documented contingency plan in case of failure of feed or water supply, and must implement appropriate actions in the event of feed or water supply failure.
  - have a documented contingency plan in case of an emergency animal disease, and must implement appropriate actions in the event of an emergency animal disease.
  - ensure the daily inspection of all cattle within the feedlot.
  - ensure the appropriate management of calves born in the feed yards, to ensure the welfare of the calves.
  - ensure the cleaning of feed yards and maintenance of surfaces on a planned basis, to ensure that pen surfaces can drain freely.



**Note:** This question is only relevant if you run an intensive production system such as a feedlot.

### QUESTION 11:

***Although Dave's responsibility for his cattle stops once they enter the feedlots, he wants to ensure their welfare isn't compromised while they are there.***

*What must the feedlot operator do to ensure compliance with the animal welfare standards?*

Select the four correct options.

Answer option	✓ / ✗
1 Ensure a minimum area of 9m <sup>2</sup> per Standard Cattle Unit for cattle held in external pens	<input type="checkbox"/>
2 Record quantities and composition of feed for the duration of the feeding period	<input type="checkbox"/>
3 Have a documented contingency plan in case of an emergency animal disease	<input type="checkbox"/>
4 Regularly clean and maintain the feed yard	<input type="checkbox"/>
5 Inspect the cattle in the feedlot weekly	<input type="checkbox"/>

#### Things to think about...

Ways in which the feedlot operator can ensure compliance include:

- ensuring the feedlot is accredited under a third party, audited quality assurance system
- ensuring the facilities comply with the requirements of the *National Beef Cattle Feedlot Environmental Code of Practice*
- removing stale feed daily and cleaning water troughs regularly
- implementing management procedures to reduce excessive heat load risks.

You will find a guide to managing summer heat on the Australian Lot Feeders' Association website ([www.feedlots.com.au/resources](http://www.feedlots.com.au/resources)).

Answers

1



2



3



4



5







## TOPIC 3: SHEEP WELFARE STANDARDS

**Note:** This topic is relevant if you run sheep on your property.



## HELP MAREE IDENTIFY SHEEP WELFARE STANDARDS

"I want to make sure I care for my animals as best I can while following the legal obligations for animal welfare."

There are several areas of welfare that apply to everyone responsible for the care and management of sheep:

- Responsibilities
- Feed and water
- Risk management of extreme weather, natural disasters, disease, injury and predation
- Facilities and equipment
- Handling and husbandry
- Tail docking and castration
- Mulesing
- Breeding management
- Humane euthanasia
- Land transport

Additional areas of welfare apply to intensive sheep production systems.

These areas of welfare are covered in a set of industry agreed standards that producers are legally obliged to comply with.

You will find the *Sheep standards and guidelines* and the *Australian Animal Welfare Standards and Guidelines Land Transport of Livestock* on the Animal Welfare Standards website ([www.animalwelfarestandards.net.au](http://www.animalwelfarestandards.net.au)).

# RESPONSIBILITIES

## Responsibilities standard

- A person must take reasonable actions to ensure the welfare of sheep under their care.

## QUESTION 1:

**Help Maree identify ways to ensure the welfare of her sheep.**

*What actions must Maree take to ensure the welfare of the sheep under her care?*



Select the four correct options.

Answer option	✓ / ✗
1 Follow chemical and drug treatment instructions for sheep	<input type="checkbox"/>
2 Handle sheep in a way that minimises stress	<input type="checkbox"/>
3 Follow the animal welfare standards, guidelines and laws	<input type="checkbox"/>
4 Provide a staff induction program	<input type="checkbox"/>

### Things to think about...

Maree can ensure compliance with the standards by providing adequate housing, sanitation, nutrition, water, veterinary care, and protection from extreme weather conditions and natural disasters.

In addition, she should always handle her sheep in ways that minimise their stress.

She should also keep up to date with the welfare standards and laws, review her existing practices as required and train her staff.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✓

## FEED AND WATER

### Feed and water standard

- A person in charge must ensure sheep have reasonable access to adequate and appropriate feed and water.



### QUESTION 2:

***Help Maree identify ways to ensure her sheep receive adequate and appropriate feed and water.***

**I** *How can Maree ensure compliance with the standard?*

Select the three correct options.

Answer option	✓ / ✗
1 Provide daily access to feed and water	<input type="checkbox"/>
2 Adjust the quality of feed and water as necessary	<input type="checkbox"/>
3 Never deprive sheep from water for more than 24 hours	<input type="checkbox"/>
4 Provide weaned lambs with energy and protein supplements	<input type="checkbox"/>

### Things to think about...

Maree should provide sheep with access to feed and water daily. She should never deprive her animals of water for more than 48 hours.

She should regularly assess their needs and ensure they have access to sufficient quantity and quality of feed and water. This includes providing weaned lambs with appropriate energy and protein supplements when grazing dry pastures and stubbles.

You will find guidelines for condition scoring on the Making More from Sheep website ([www.makingmorefromsheep.com.au](http://www.makingmorefromsheep.com.au)).

Answers

1



2



3



4



# RISK MANAGEMENT

## Risk management standard

- A person in charge must:
  - take reasonable actions to ensure the welfare of sheep from threats, including extremes of weather, drought, fires, floods, disease, injury and predation
  - ensure the inspection of sheep at regular intervals, and at a level appropriate to the production system and the risks to the welfare of sheep
  - ensure appropriate treatment for sick, injured or diseased sheep at the first reasonable opportunity.



### Contingency planning, inspection and drought management

Develop contingency plans to minimise risks to sheep welfare.

Prepare drought strategies in advance and implement them progressively when necessary.

Carefully observe sheep being fed in a drought situation. You may need to segregate weak sheep and shy feeders to ensure appropriate treatment.



### Weather

Sheep must have adequate shelter, such as natural protection, windbreaks and sheds.

Protect shorn sheep during cold conditions and sudden weather changes.

Handle sheep as little as possible during extreme weather and particularly during extremely hot weather.



### Disease and injury

Seek advice from qualified advisors and implement a health management plan.

Vaccinate sheep against relevant diseases and keep records of vaccines and treatments.

Monitor and control internal and external parasites.

Use preventive techniques to minimise a flystrike risk.

Investigate unexplained disease and deaths, and seek veterinary advice on diagnosis, prevention and treatment.



### Predators

Implement predator control programs where predation is a significant risk to the welfare of sheep.



## FACILITIES AND EQUIPMENT

### Facilities and equipment standard

- A person in charge must take reasonable actions in the construction, maintenance and operation of facilities and equipment to ensure the welfare of sheep.



### QUESTION 3:

**Help Maree identify ways to ensure the sheep in her care are protected from potential hazards.**

*What actions must Maree take to ensure the welfare of the sheep under her care?*

Select the three correct options.

Answer option	✓ / ✗
1 Ensure facilities are free from protrusions and obstacles that may cause injury	<input type="checkbox"/>
2 Construct facilities to take into account climate, flood and fire risk	<input type="checkbox"/>
3 Use concrete flooring to simplify drainage and water disposal	<input type="checkbox"/>
4 Ensure that sheep penned outside for long periods have access to shade	<input type="checkbox"/>

### Things to think about...

Maree should make sure the facilities are free from protrusions and obstacles that may cause injury, and floor surfaces are non-slip, non-abrasive and free-draining. She should use concrete only in high-traffic areas.

She should take climate, flood and fire risk, shade and shelter into account when constructing facilities for animals penned inside and outside.

Answers

1



2



3



4



# HANDLING AND HUSBANDRY

## Handling and management standard

- A person must handle sheep in a reasonable manner.
- A person handling sheep must not mistreat the animals in their care.
- A person in charge of a dog that habitually bites sheep must ensure the dog is muzzled while working sheep.
- A person in charge must ensure a sheep is shorn before the wool length is greater than twice the average annual growth for that breed.
- A person must consider the welfare of sheep when using an electric prod.
- A person must not trim or grind the teeth of sheep.
- A person must not alter the anatomy of the prepuce of sheep by incising the surrounding skin.
- A person in charge must ensure that tethered sheep are able to exercise daily.

## QUESTION 4:

**Maree always handles her sheep in a reasonable way.**

*What else must she do to minimise welfare risks when handling and managing her sheep?*

Select the three correct options.



Answer option	✓ / ✗
1 Ensure tethered sheep can exercise daily	<input type="checkbox"/>
2 Muzzle biting dogs when working with sheep	<input type="checkbox"/>
3 Shear sheep when wool length reaches the average annual growth	<input type="checkbox"/>
4 Trim or grind the teeth of sheep	<input type="checkbox"/>

## Things to think about...

Ways in which Maree can ensure reasonable handling of sheep include:

- taking care when handling sheep with special needs
- making sure tethered sheep (sheep fastened by a chain to a central anchor point, causing it to be confined to a specific area) have adequate shelter and space to exercise and graze
- limiting the use of dogs and handling aids to the minimum needed
- inspecting sheep regularly and providing treatment as needed
- shearing sheep that grow and retain long wool annually and regularly inspecting sheep's feet and taking appropriate action
- using sharp and clean tools to perform ear marking, tagging and vaccinations

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✗

## TAIL DOCKING AND CASTRATION

### Tail docking and castration standard

- A person performing tail docking or castration must have the relevant knowledge, experience and skills, or be under the direct supervision of a person who has the relevant knowledge, experience and skills.
- A person must not tail dock sheep that are more than six months old without using appropriate pain relief and haemorrhage control for the sheep.
- A person must leave a docked tail stump of a sheep with at least one palpable free joint remaining.
- A person must not castrate or use the cryptorchid method on sheep that are more than six months old without using appropriate pain relief and haemorrhage control for the sheep.



### QUESTION 5:

**Maree needs to perform tail docking and castration on some sheep for better flock management.**

*How can Maree ensure these procedures minimise the risk to the welfare of sheep?*

Select the three correct options.

Answer option	✓ / ✗
1 Ensure the person performing the procedures has the necessary skills and experience	<input type="checkbox"/>
2 Tail dock sheep older than 6 months without pain relief	<input type="checkbox"/>
3 Use pain relief and haemorrhage control when castrating sheep older than 6 months	<input type="checkbox"/>
4 Leave a docked tail stump with at least one palpable free joint	<input type="checkbox"/>

### Things to think about...

Maree should use the rubber ring or hot knife methods to tail dock lambs. She should tail dock lambs if it will provide a benefit to life-time sheep welfare, never for cosmetic reasons.

She should castrate lambs as young as possible and before they are 12 weeks old. However, if they are destined for slaughter before 12 weeks of age, or before the onset of puberty, they should not be castrated.

Answers 1 ✓ 2 ✗ 3 ✓ 4 ✓

# MULESING

## Mulesing standard

- A person performing mulesing must have the relevant knowledge, experience and skills, or be under the direct supervision of a person who has the relevant knowledge, experience and skills.
- A person must not mules sheep that are less than 24 hours old or more than 12 months old.
- A person must not mules sheep that are 6-12 months old without using appropriate pain relief
- A person must not mules sheep showing signs of debilitating disease, weakness or ill-thrift.
- A person mulesing sheep must only remove wool-bearing skin.

## QUESTION 6:

***Flystrike is a major risk to Maree's sheep, and she is considering mulesing as a preventative measure.***

*What can Maree do to ensure compliance with the animal welfare standard?*



Select the four correct options.

Answer option	✓ / ✗
1 Mules lambs at 2 - 12 weeks old	<input type="checkbox"/>
2 Perform mulesing on all lambs	<input type="checkbox"/>
3 Provide pain relief	<input type="checkbox"/>
4 Remove only wool-bearing skin	<input type="checkbox"/>

## Things to think about...

Maree should mules lambs only if there are no other alternatives and the procedure will result in benefits to long-time sheep welfare. Lambs must be mulesed between the ages of 2 and 12 weeks.

She should ensure the lambs receive appropriate pain relief, and only wool-bearing skin is removed.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✓

## BREEDING MANAGEMENT

### Breeding management standard

- A person performing artificial breeding procedures on sheep must have the relevant knowledge, experience and skills, or be under the direct supervision of a person who has the relevant knowledge, experience and skills
- A person performing artificial breeding procedures on sheep must not cause unreasonable pain, distress or injury to sheep.
- A person must be a veterinarian, or operating under veterinary supervision, to perform surgical embryo transfer and laparoscopic insemination of sheep.



### QUESTION 7:

***Maree implements appropriate breeding and management practices.***

**I** What must she do to minimise the welfare risk to her sheep?

Select the three correct options.

Answer option	✓ / ✗
1 Ensure artificial breeding procedures do not cause unreasonable pain, distress or injury	<input type="checkbox"/>
2 Laparoscopic insemination of sheep must be done by a veterinarian	<input type="checkbox"/>
3 Ensure the person performing artificial breeding procedures on sheep has the relevant knowledge, experience and skills	<input type="checkbox"/>

### Things to think about...

Maree should understand reproduction and behaviour of both the ewe and the ram. She should also ensure ewes are handled as gently as possible and receive appropriate care during laparoscopic artificial insemination and embryo transfer.

Answers

1



2



3



# INTENSIVE SHEEP PRODUCTION SYSTEMS

## Intensive sheep production standard

- A person in charge must:
  - ensure that feed and water is available daily to sheep in intensive production systems
  - ensure the daily inspection of all sheep in the intensive production system
  - take reasonable action where sheep have not adapted to an intensive production system
  - not allow faeces and urine to accumulate to the stage that compromises the welfare of sheep in an intensive production system
  - ensure an indoor housing system for sheep has effective ventilation
  - ensure sufficient space to allow all sheep to lie on their sternums at the same time in an intensive production system
- A person must not permanently house a sheep in a single pen for the purpose of fine wool production.

## QUESTION 8:

**Maree runs an intensive sheep production system.**

*What must Maree do to ensure compliance with the animal welfare standard?*

Select the three correct options.

Answer option	✓ / ✗
1 Ensure feed and water are available daily	<input type="checkbox"/>
2 Inspect sheep on a weekly basis	<input type="checkbox"/>
3 Regularly remove urine and faeces	<input type="checkbox"/>
4 Ensure sheep have enough space to lie down at the same time	<input type="checkbox"/>



**Note:** This question is only relevant if you run an intensive production system (e.g. feedlot).

## Things to think about...

Some ways in which Maree can ensure compliance include:

- regularly cleaning and inspecting feed and water troughs
- being aware of current information in intensive sheep management and health, and having contact with professionals with relevant expertise
- managing shy feeders and sheep showing stereotypical behaviour such as wool biting
- implementing a biosecurity plan for the introduction of sheep to the system
- ensuring adequate space, shelter, ventilation and light

Answers 1 ✓ 2 ✗ 3 ✓ 4 ✓



# HUMANE EUTHANASIA

## Humane euthanasia standard

- A person in charge must ensure killing methods for sheep result in rapid loss of consciousness, followed by death while unconscious.
- A person killing a sheep must have the relevant knowledge, experience and skills to kill the sheep humanely, or be under the direct supervision of a person who has the relevant knowledge, experience and skills, unless:
  - the sheep is suffering and needs to be killed to prevent undue suffering
  - there is an unreasonable delay until direct supervision by a person who has the relevant knowledge, experience and skills becomes available.
- A person in charge of a sheep suffering from severe distress, disease or injury that cannot be reasonably treated must ensure the sheep is killed at the first reasonable opportunity.
- A person killing sheep must take reasonable actions to confirm the sheep is dead.
- A person killing a lamb by a blow to the forehead must ensure that the lamb weighs less than 10 kilograms and only when there is no firearm, captive bolt or lethal injection reasonably available.
- A person must only use bleeding-out by neck cut to kill a conscious sheep when there is no firearm, captive bolt or lethal injection reasonably available.



## QUESTION 9:

***Maree has to humanely euthanase an incurably sick animal.***

*What can she do to ensure compliance with the standard for humane euthanasia?*

Select the three correct options.

Answer option	✓ / ✗
1 Use methods that result in rapid loss of consciousness and death	<input type="checkbox"/>
2 Take reasonable actions to confirm death in the animal	<input type="checkbox"/>
3 Have the knowledge, experience and skills to be able to humanely kill sheep	<input type="checkbox"/>

## Things to think about...

Some ways in which Maree can ensure safe and humane euthanasia include:

- use of close-range firearm to the poll or crown position
- observing three or more signs of death
- ensuring she holds a current firearm licence and uses a registered firearm
- ensuring she is registered to use a captive bolt device if legislation requires

Answers

1 ✓

2 ✓

3 ✓

# LAND TRANSPORT

## Land transport standard

- During the transport process, the consignor is responsible for:
  - Mustering and assembling livestock
  - Handling livestock
  - Preparation, including inspection and selection as 'fit for the intended journey'
  - Feed and water provision
  - Holding periods before loading

## QUESTION 10:

**Maree is preparing some sheep for transport.**

*What are her responsibilities to ensure compliance with the standard for land transport?*

Select the three correct options.



Answer option	✓ / ✗
1 Mustering and assembling livestock	<input type="checkbox"/>
2 Inspecting and selecting livestock that are 'fit for the intended journey'	<input type="checkbox"/>
3 Restraining sheep from curfew until loading	<input type="checkbox"/>
4 Providing feed and water	<input type="checkbox"/>

## Things to think about...

Maree must inspect sheep to ensure they are fit for the intended journey, and manage livestock that are unfit for loading.

She must provide feed, water and rest as appropriate before curfew or loading.

She should provide suitable holding and loading facilities that do not predispose sheep to injury.

You will find an *Is it fit to load?* guide on the MLA website ([www.mla.com.au/isitfittoload](http://www.mla.com.au/isitfittoload)).

You will find the *Australian Animal Welfare Standards and Guidelines Land Transport of Livestock* on the Animal Welfare Standards website ([www.animalwelfarestandards.net.au](http://www.animalwelfarestandards.net.au)).

Answers 1 ✓ 2 ✓ 3 ✗ 4 ✓



## TOPIC 4: GOAT WELFARE STANDARDS

**Note:** This topic is relevant if you run goats on your property.

## HELP PETER IDENTIFY GOAT WELFARE STANDARDS

I "I want to make sure I follow the legal obligations for animal welfare."

There are several areas of welfare that apply to everyone responsible for the care and management of goats:

- Responsibilities
- Feed and water
- Risk management
- Facilities and equipment
- Handling and husbandry
- Castration, disbudding and dehorning
- Breeding management
- Humane euthanasia
- Land transport

Additional areas of welfare apply to dairy producers and intensive goat production systems.

These areas of welfare are covered in a set of industry agreed standards. Compliance with these standards is voluntary.

You will find the *Goat standards and guidelines* and the *Australian Animal Welfare Standards and Guidelines Land Transport of Livestock* on the Animal Welfare Standards website ([www.animalwelfarestandards.net.au](http://www.animalwelfarestandards.net.au)).



# RESPONSIBILITIES

## Responsibilities standard

- A person must take reasonable actions to ensure the welfare of goats under their care.



### QUESTION 1:

***Peter is serious about ensuring the welfare of goats in his care.***

*What actions should Peter take to ensure the welfare of the goats under his care?*

Select the four correct options.

Answer option	✓ / ✗
1 Keep adequate records	<input type="checkbox"/>
2 Follow chemical and drug treatment instructions for goats	<input type="checkbox"/>
3 Handle goats in a way that minimises stress	<input type="checkbox"/>
4 Provide staff induction and training	<input type="checkbox"/>

### Things to think about...

Peter can ensure compliance with the standards by providing adequate housing, sanitation, nutrition, water, veterinary care, and protection from extreme weather conditions and natural disasters.

In addition, he should always handle his goats in ways that minimise their stress.

He should also keep up-to-date with the welfare standards and laws, review his existing practices as required and train his staff.

Answers

1



2



3



4



## FEED AND WATER

### Feed and water standard

- A person in charge must ensure goats have reasonable access to adequate and appropriate feed and water.

### QUESTION 2:

**Help Peter identify ways to ensure his goats have adequate and appropriate water and food available.**



**I** How can Peter ensure compliance to the industry standard?

Select the three correct options.

Answer option	✓ / ✗
1 Provide daily access to feed and water	<input type="checkbox"/>
2 Adjust the quality of feed and water as necessary	<input type="checkbox"/>
3 Never deprive goats from water for more than 48 hours	<input type="checkbox"/>
4 Allow goats to freely graze all areas of the property	<input type="checkbox"/>

### Things to think about...

Peter must provide goats with access to feed and water daily, but should ensure they don't have access to contaminated and spoilt feed, toxic plants and harmful substances.

He should never deprive his animals of water for more than 48 hours.

He should regularly assess the goats' needs and adjust the quantity and quality of feed and water accordingly.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✗



# RISK MANAGEMENT

## Risk management standard

- A person in charge must:
  - take reasonable actions to ensure the welfare of goats from threats, including extremes of weather, drought, fires, floods, disease, injury and predation
  - ensure the inspection of goats at regular intervals, and at a level appropriate to the production system and the risks to the welfare of goats
  - ensure appropriate treatment for sick, injured or diseased goats at the first reasonable opportunity.



## QUESTION 3:

*Peter is serious about minimising the impact of threats to his goats' welfare.*

**I** What can he do to keep his goats safe?

Select the three correct options.

Answer option	✓ / ✗
1 Treat sick, injured or diseased goats at the first reasonable opportunity	<input type="checkbox"/>
2 Inspect goats at regular intervals	<input type="checkbox"/>
3 Protect goats against predation, injury and disease	<input type="checkbox"/>

## Things to think about...

Some ways in which Peter can minimise the risk to his goats include:

- creating a plan outlining what to do in an emergency
- preparing drought strategies and implementing them when necessary
- providing shelter to minimise risks to welfare during severe weather
- vaccinating against infectious diseases and seeking or providing treatment when necessary

Answers

1 ✓

2 ✓

3 ✓

# FACILITIES AND EQUIPMENT

## Facilities and equipment standard

- A person in charge must take reasonable actions in the construction, maintenance and operation of facilities and equipment that is used for the husbandry of goats.

## QUESTION 4:

**Help Peter identify ways to ensure the goats in his care are protected from potential hazards.**

*How can Peter ensure the goat facilities and equipment on his property comply with the industry animal welfare standard?*



Select the three correct options.

Answer option	✓ / ✗
1 Provide shade and shelter to prevent heat and cold stress	<input type="checkbox"/>
2 Use concrete on floor surface to simplify cleaning	<input type="checkbox"/>
3 Ensure fencing and yard construction prevent injury, entrapment and overcrowding	<input type="checkbox"/>
4 Restraining facilities should be used for the minimum time necessary	<input type="checkbox"/>

## Things to think about...

Peter should ensure the facilities take goat behaviour into consideration and are constructed in a way that minimises stress and risk of injury.

Answers 1 ✓ 2 ✗ 3 ✓ 4 ✓

# HANDLING AND HUSBANDRY

## Handling and management standard

- A person must handle goats in a reasonable manner.
- A person handling goats must not mistreat the animals in their care.
- A person in charge must take reasonable action, where goats have not adapted to confinement within a reasonable period of time.
- A person in charge of a dog that habitually bites goats must ensure the dog is muzzled while working goats.
- A person in charge must ensure goats that grow and retain long fleece are shorn annually.
- A person must consider the welfare of goats when using an electric prod.
- A person in charge must ensure that tethered goats are able to exercise daily.



## QUESTION 5:

***Peter always handles his goats in a way that minimises stress.***

*What else must he do to minimise welfare risks when handling and managing his goats?*

Select the three correct options.

Answer option	✓ / ✗
1 Take reasonable action where goats have not adapted to confinement	<input type="checkbox"/>
2 Shear goats that grow long fleece annually	<input type="checkbox"/>
3 Drag goats that are not standing by only one leg	<input type="checkbox"/>
4 Ensure tethered goats are able to exercise daily	<input type="checkbox"/>

### Things to think about...

Peter should handle goats in a way that takes advantage of their natural herding behaviour and minimises risks of injury. He should allow tethered goats (goats fastened by a chain to a central anchor point, causing it to be confined to a specific area) to have space to lie down, stretch and exercise. Peter should also inspect goats regularly and take action if required to maintain the health of the flock.

Answers 1 ✓ 2 ✓ 3 ✗ 4 ✓

## CASTRATION, DISBUDDING AND DEHORNING

### Castration, disbudding and dehorning standard

- A person performing castration, disbudding and/or dehorning must have the relevant knowledge, experience and skills, or be under the direct supervision of a person who has the relevant, experience and skills.
- A person must not castrate goats that are more than six months old without using appropriate pain relief and haemorrhage control for the goat.
- A person in charge must ensure the use of appropriate pain relief when dehorning goats more than six months old.
- A person must use appropriate tools and methods to dehorn goats and disbud kids.
- Disbudding by means of chemicals must not be performed on goats.
- Scoop dehorners must not be used on goats.
- Elastrator rings must not be used for dehorning goats.

### QUESTION 6:

**Several animals on Peter's property must be castrated, disbudded and dehorned for better herd management.**

*How can he reduce the welfare risk to the goats when performing these procedures?*



Select the three correct options.

Answer option	✓ / ✗
1 Practice good hygiene during and after procedures	<input type="checkbox"/>
2 Use disbudding or horn tipping over dehorning	<input type="checkbox"/>
3 Use pain relief and haemorrhage control when castrating kids over 6 months	<input type="checkbox"/>
4 Use chemicals to disbud goats	<input type="checkbox"/>

### Things to think about...

Peter should ensure that bucks are castrated as young as possible and before they are 12 weeks old.

Answers 1 ✓ 2 ✓ 3 ✓ 4 ✗

## BREEDING MANAGEMENT

### Breeding management standard

- A person performing artificial breeding procedures on goats must have the relevant knowledge, experience and skills, or be under the direct supervision of a person who has the relevant knowledge, experience and skills.
- A person performing artificial breeding procedures on goats must not cause unreasonable pain, distress or injury to goats.
- A person must be a veterinarian, or operating under veterinary supervision, to perform surgical embryo transfer and laparoscopic insemination of goats and be done using appropriate sedation, analgesia and aseptic technique.
- A person in charge must ensure kidding induction is only performed under veterinary advice.



### QUESTION 7:

***Peter wants to ensure that his breeding and management practices are appropriate and minimise the risk to the welfare of goats.***

*What are his obligations according to the industry animal welfare standards?*

Select the three correct options.

Answer option	✓ / ✗
1 Do not cause unreasonable pain, distress or injury to goats	<input type="checkbox"/>
2 Ensure the person performing procedures has relevant experience and skills	<input type="checkbox"/>
3 Ensure kidding induction is only performed under veterinary advice	<input type="checkbox"/>

### Things to think about...

Peter should understand reproduction and behaviour of both the doe and the buck. He should also ensure does are handled as gently as possible and receive appropriate care during laparoscopic artificial insemination and embryo transfer.

Answers

1



2



3



# INTENSIVE GOAT PRODUCTION SYSTEMS

## Intensive goat production standard

- A person in charge must:
  - ensure that feed and water is available and accessible daily to goats in intensive production systems
  - ensure the daily inspection of all goats in the intensive production system
  - take reasonable action where goats have not adapted to an intensive production system
  - not allow faeces and urine to accumulate to the stage that compromises the welfare of goats in an intensive production system
  - ensure an indoor housing system for goats has effective ventilation
  - ensure sufficient space to allow all goats to lie on their sternums at the same time in an intensive production system
- A person must not permanently house a goat in a single pen.

## QUESTION 8:

***Peter runs an intensive goat production system. He regularly talks to professionals in the field and keeps up to date with current information to ensure his animals have the right care.***

*What else must Peter do to ensure compliance with the animal welfare standard?*

Select the three correct options.

Answer option	✓ / ✗
1 Ensure goats have sufficient space to all lie down simultaneously	<input type="checkbox"/>
2 Permanently house difficult animals in a single pen	<input type="checkbox"/>
3 Inspect goats daily	<input type="checkbox"/>
4 Ensure feed and water is accessible daily	<input type="checkbox"/>



**Note:** This question is only relevant if you run an intensive production system (e.g. feedlot).

## Things to think about...

Some ways in which Peter can ensure compliance include:

- inspecting and maintaining feeding and drinking equipment regularly
- inspecting goats daily and taking action where required
- ensuring goats have adequate space
- having contingency plans in place

Answers 1 ✓ 2 ✗ 3 ✓ 4 ✓



# HUMANE EUTHANASIA

## Humane euthanasia standard

- A person in charge must ensure killing methods for goats result in rapid loss of consciousness followed by death while unconscious.
- A person killing a goat must have the relevant knowledge, experience and skills to kill the goat humanely, or be under the direct supervision of a person who has the relevant knowledge, experience and skills, unless the goat is suffering and needs to be killed to prevent undue suffering; and there is an unreasonable delay until direct supervision by a person who has the relevant knowledge, experience and skills becomes available.
- A person in charge of a goat suffering from severe distress, disease or injury that cannot be reasonably treated must ensure the goat is promptly killed.
- A person killing goats must take reasonable actions to confirm the goat is dead.
- A person killing a kid by a blow to the forehead must ensure that the kid is less than 24 hours old and only when there is no firearm, captive bolt or lethal injection reasonably available.
- A person must only use bleeding-out by neck cut to kill a conscious goat when there is no firearm, captive bolt or lethal injection available.



## QUESTION 9:

***Peter has to euthanase a critically injured goat.***

*What must he do to ensure he complies with the standard for humane euthanasia?*

Select the three correct options.

Answer option	✓ / ✗
1 Have the knowledge, experience and skills to be able to humanely kill goats	<input type="checkbox"/>
2 Confirm death in the animal after humane euthanasia	<input type="checkbox"/>
3 Use a blow to the forehead to euthanase a kid less than 24 hours old	<input type="checkbox"/>

### Things to think about...

Some ways in which Peter can ensure safe and humane euthanasia include:

- using a firearm, captive bolt or lethal injection for goats over 6 months
- using a firearm, captive bolt or lethal injection for kids
- observing three or more signs of death
- ensuring he holds a current firearm licence and uses a registered firearm
- ensuring he is registered to use a captive bolt device if legislation requires

Answers

1 ✓

2 ✓

3 ✓

# LAND TRANSPORT

## Land transport standard

- During the transport process, the consignor is responsible for:
  - Mustering and assembling livestock
  - Handling livestock
  - Preparation, including inspection and selection as 'fit for the intended journey'
  - Feed and water provision
  - Holding periods before loading

## QUESTION 10:

**Peter is preparing to move some goats off his property.**

*What are his responsibilities to ensure compliance with the standard for land transport?*

Select the two correct options.



Answer option	✓ / ✗
1 Mustering and assembling livestock	<input type="checkbox"/>
2 Ensuring goats are fit for the intended journey	<input type="checkbox"/>
3 Withholding water and feed after inspection	<input type="checkbox"/>

## Things to think about...

Peter is responsible for mustering and assembling the goats, and inspecting them to make sure they are fit to load. He should provide feed and water until curfew.

You will find an *Is it fit to load?* guide on the MLA website ([www.mla.com.au/isitfittoload](http://www.mla.com.au/isitfittoload)).

Answers 1 ✓ 2 ✓ 3 ✗

## DAIRY MANAGEMENT

### Dairy management standard

- A person in charge must:
  - ensure the daily inspection of lactating does
  - implement appropriate actions to minimise the stress from adverse weather on lactating does
  - ensure dairy goats that are kept on feed pads for extended periods have access to a well-drained area for resting.



**Note:** This question is only relevant if you run a dairy.

### QUESTION 11:

*Peter regularly tests and maintains milking machinery and equipment in the dairy. He practices milking techniques that minimise the risk of discomfort, injury and disease. He also has management strategies in place to prevent, detect and treat mastitis and lameness. During hot weather, he provides goats with access to drinking water at all times.*

**I** What must Peter do to meet his dairy management responsibilities?

Select the two correct options.

Answer option	✓ / ✗
1 Inspect lactating does weekly	<input type="checkbox"/>
2 Minimise stress caused by adverse weather	<input type="checkbox"/>
3 Provide well-drained resting areas for does kept on feed pads	<input type="checkbox"/>

### Things to think about...

Ways in which Peter can manage dairy goats to minimise the risk to their welfare include:

- testing and maintaining milking machinery and equipment
- establishing regular milking routines
- developing management strategies to prevent, detect and treat mastitis and lameness
- developing and implementing management procedures to reduce heat load risks

Answers

1 ✗

2 ✓

3 ✓





Livestock Production  
Assurance

### NEED TO KNOW MORE?

**Access and download:**

LPA rules, checklists, record templates and factsheets at  
[integritysystems.com.au/lpa](https://integritysystems.com.au/lpa)

Email: [lpa@integritysystems.com.au](mailto:lpa@integritysystems.com.au)

Call Integrity Systems Customer Service on 1800 683 111